



National Aeronautics and
Space Administration

John C. Stennis Space Center
Stennis Space Center, MS 39529-6000

SPLN-1040-0006 Rev 9
November 2023

COMPLIANCE IS MANDATORY

John C. Stennis Space Center Emergency Management Plan

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 2 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

CONCURRENCE AND APPROVAL

ROBERT
BEVERLY

Digitally signed by
ROBERT BEVERLY
Date: 2023.12.01
14:51:25 -06'00'

Prepared by
Robert E. Beverly
SSC Emergency Management Officer
Protective Services Office

Date

Lavaniel
Ward

Digitally signed by
Lavaniel Ward
Date: 2023.12.06
11:52:04 -06'00'

Concur by
Lavaniel S. Ward
Chief
Protective Services Office

06DEC23

Date

RICHARD
GILBRECH

Digitally signed by RICHARD
GILBRECH
Date: 2023.12.12 12:44:23
-06'00'

Approved by
Richard J. Gilbrech, Ph.D.
Director
John C. Stennis Space Center

Date

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 3 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Document History Log

Status/Change/ Revision	Change Date	Originator/Phone	Description
Basic	June 12, 2006	R. Magee, 8-1417	Initial Release
Revision	September 29, 2006	R. Magee, 8-1417	Changes made to address audit findings from NASA's IG Office on implementation of the National Incident Management System (NIMS) NASA-wide. Changes made in Section 4.0 and Sections 6.0, 7.0, and 8.0 were added to the plan.
Revision	February 15, 2007	R. Magee, 8-1417	Changes made to combine elements of SPLN-1040-0003 into this document, to address training requirements, and to include the Pandemic Response Playbook as an appendix. SPLN-1040-0003 is superseded by this document.
Revision	August 20, 2007	R. Magee, 8-1417	Removal of nonfunctioning equipment from Section D.3.2 Addition of Acronym list to Appendix A. Addition of Appendix S for Security Emergencies.
Revision	January 15, 2008	R. Magee, 8-1417	Changes to Para G 3.2.1 (d), I on maintaining temperatures; changed issue date of the NASA Office of Human Capital Management Guidelines to January 2007; updated Table 8-E - Approved Shelters and Capacities
Revision	May 27, 2008	R. Magee, 8-1417	Section 1.6.4 – added new step d. Section 1.6.10 – added new step c.
Revision	August 22, 2008	R. Magee, 8-1417	Replace paragraph D.2–b - add NAWAS reporting requirement
Revision	December 12, 2008	R. Magee, 8-1417	Add list of alarms and notifications to Section 2.3. Add references to procedures for operation of critical

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

			equipment and evacuation in Appendix P
Revision	January 29, 2009	R. Magee, 8-1417	Updated generation list. Table 5. E
Revision	July 7, 2009	R. Magee, 8-1417	Changes made to reflect location change of EOC, new emergency notification system requirements in Appendix D, a new notice to watercraft operators in Appendix E and reference to reserve/neutral gate procedures in Appendix T
Revision	May 18, 2010	R. Magee, 8-1417	Added information on the capabilities of the EOC in Section 2.0. Changed Section 3.3.4 with new text and new ICS organizational structure. Deleted content of Pandemic Plan. Added reference to Annual Fire Drill Requirement in Section I.3.2. New section I.3.6 on provisions for special needs individuals.
Revision	June 10, 2011	R. Magee, 8-1417	Substitute Table Added one definition Correction of reference, building and equipment numbers
Revision	April 4, 2012	R. Magee, 8-1417	Updated Shelter Table
Revision	April 12, 2012	R. Magee, 8-1417	Added emergency notification procedure as dictated by NASA Headquarters
Administrative Change	June 22, 2012	R. Magee, 8-1417	Removal of guidance on janitorial and food service that is no longer valid. Updated Shelter list.
Revision	August 2013	R. Magee, 8-1417	Removed all references to shelters, shelter managers, shelter kits, etc. Also removed obsolete references, section 2.5, and Appendix K.
Administrative Change	September 17, 2014	R. Magee, 8-1417	Added Hazardous Weather Operations criteria in Appendix D, paragraphs D.2.a, D.2.b, and D.2.c.
Administrative Change	April 6, 2015	R. Magee, 8-1417	Institutional was replaced with Site throughout the document, updated

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 5 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

			Table 3.B on training, update of Section 3.12 on unique resources available to support emergencies, updated descriptive information of Table 9.E Emergency Supplies, updated the directions for obtaining sandbags in section g. on Page 102, Removed reference to special food services in section J.3.2 on Page 114, added the words “at the direction of the SSC Supply & Equipment Management Officer on step 3, removed reference to special food services on Page 144 section c.(1). Table 16.F expanded to include more buildings and augmented with A2 test stand permanent freeze plan.
Administrative Change	June 1, 2016	R. Magee, 8-1417	Replaced all references of FOSC and FOS to SACOM, updated table 6E “Hazard Threat Matrix”, Changed title of table 6E from “Hazard Threat Matrix” to “Critical Infrastructure”, Replaced all references of TOC to SACOM Contractor Test Operations Support, Added Table 9.F “Emergency Response Team – Minimum Staffing”
Administrative Change	August 15, 2017	K. Volante, 8-2160	Annual Review: Corrected minor grammatical errors, replaced all references to Emergency Support Coordinator to Emergency Management Coordinator, changed names of SACOM shop personnel throughout document to align to the new SACOM shop structure. Removed references to HAZNET from plan, Changed NAWAS to INWS monitoring capability in section D.2 and D.3(b), Changed destructive force winds to tropical

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 6 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

			force winds in Section E.2.1, Updated table 5E, 6E and 10E.
Revision	August 2018	K. Volante, 8-2160	Added AMR response to section 2.2 and I.3.4, addition of reference to Critical Incident Stress Management Program, addition of emergency supplies located in Building 9626, eliminated SSC warehouse personnel requirements in section 2.18.4.1, changed Emergency Council meetings from 1 per year to quarterly, updated IC for weather situations with Emergency Management Officer, addition of site-status application information in section 3.3.1, updated individual certification training requirement in table 3.B, updated section E.2.7 Dock and Vessels with updated information, updated section E.3.19 with responsibility for protective services contractor during state contraflow, updated Appendix F Freeze Condition Plan with updated information, updated Appendix L Potable Water Contamination Plan with updated information, updated Appendix M Power Failure Plan with updated information, addition of lockdown procedures in section Q5.3, updated phone numbers in Table 20.Q
Administrative Change	July 23, 2019	K. Volante, 8-2160	Annual Review: Corrected minor grammatical errors, updated table 6.E Generators, addition of damage assessment form location in section E.3.10,
Administrative Change	June 19, 2020	K. Volante 8-2160	Annual Review: Addition of definition of destructive winds to Appendix A, added information to

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 7 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

			section E.2.1 on hurricane condition levels used at Stennis, changed tropical force winds to destructive winds 50 kt/58 mph in section E.2.1, changed Mississippi Gulf Coast to Stennis Space Center on condition levels used at Stennis in section E.2.1, updated table 6.E generators, added the sscsos.com website to section E.2.3, addition of daily emergency council meeting during hurricane conditions to section E.3.18, addition of note to tables 12E-15E, updates to table 13.E and 18.F
Administrative Change	June 16, 2021	K. Volante 8-2160	Annual Review: In section 3.0, changed Emergency Council meetings from quarterly to at least annually before hurricane season, added placing of commercial fisherman signs near waterway under condition IV checklist on page 73, change category 4 to category 2 for commercial fisherman safe harbor in section E.2.7 (b) and Table 9.E
Administrative Change	June 1, 2022	K. Volante 8-2160	Annual Review: Added note to reference the SSC Active Shooter plan SPLN-1040-0008 in attachment Q.1a, Added Appendix S incorporating by reference the SSC Active Shooter Plan SPLN-1040-0008, Added checklist item to secure Building 1100 revolving door during hurricane condition I.
Revision	August 31, 2023	R. Beverly 8-3105	2.8 removed term Media Room to Joint Information Center (JIC) Also, moved location from Building 8000 to North Gate Training Room. 2.18.4.1 updated EM supply storage to Building 2207.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 8 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

		<p>Removed E.2.9 plywood, boots, rain suit, gloves, flashlights from supply list. (Items removed due to exceeded shelf life and life cycle). Removed all reference to Michoud Assembly Facility (MAF). There are no longer any Emergency Management Supplies located at MAF.</p> <p>Removed F.3.6 SSC Labor and Materials the SACOM Manager, Finance will ensure that the accounting office issues a charge number to the Emergency Management Coordinator for labor and materials for the duration of the freeze.</p> <p>Updated plan to reflect the Emergency Management Officer Implementing Freeze and Flood Plan with assistance from the SSC Contract Emergency Management Coordinator.</p> <p>Revised/corrected general grammar, spelling, and punctuation.</p> <p>Updated Responsible Office to Protective Services Office</p> <p>Revised 2.3 to read “monitor COD provided LDS.</p> <p>Removed reference to mobile communication trailer.</p> <p>Updated emergency and fixed generator information.</p> <p>Removed reference to SACOM and replaced with Contractor.</p> <p>Removed reference to American Medical Rescue (AMR) and replaced with local community ambulance service.</p>
--	--	---

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 9 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Table of Contents

1.0	INTRODUCTION	14
1.1	Purpose.....	14
1.2	Applicability	14
1.3	Authority	14
1.4	References.....	14
1.5	Situation and Assumptions	15
1.6	Plan Organization.....	16
2.0	EMERGENCY OPERATIONS CENTER.....	17
2.1	Fire Department	17
2.2	Emergency Medical Technician Capability.....	17
2.3	Security Services.....	18
2.4	Medical Clinic.....	18
2.5	Helicopter Landing Capability.....	19
2.6	Energy Management Control System Office.....	19
2.7	Incident Command Post.....	20
2.8	Media Room.....	20
2.9	Emergency Management Officer/General Staff Office	20
2.10	Emergency Operations Center (EOC) Conference Room	21
2.11	Closed Circuit Television (CCTV) and Access Control Capability	21
2.12	Emergency Communications Center	21
2.13	Back-up Generator Capability	21
2.14	Cell Tower and Communication Equipment Capability.....	22
2.15	Emergency Operations Center Staging Area	22
2.16	Central Engineering Files	22
2.17	Engineering Services	22
2.18	Other Facilities and Capabilities Covered Under Incident Command System.....	22
2.19	Other Incident Command System Capabilities.....	24
3.0	INCIDENT MANAGEMENT	25
3.1	NASA Personnel Responsibilities	25
3.2	NASA Contractor Support Personnel	30
3.3	Concept of Operations	32
3.4	Training.....	37
3.5	Exercises	37
3.6	Planning	37
3.7	Multi-agency coordination.....	38
3.8	Public Information	38
3.9	Communication Technology.....	38
3.10	Mitigation.....	38

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 10 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

3.11	Publication Management	39
3.12	Supporting Technologies and Capabilities	39
APPENDIX A – DEFINITIONS & ACRONYMS.....		40
APPENDIX B – TRAINING AND EXERCISE PLAN.....		45
APPENDIX C – TRAFFIC FLOW PLAN		48
C.1	Purpose.....	48
C.2	Concept of Operations	48
C.3	Responsibilities	49
C.4	Definitions.....	49
APPENDIX D – SEVERE WEATHER PLAN		50
D.1	Purpose.....	50
D.2	Concept of Operations	50
D.3	Responsibilities	51
D.4	General Information for all SSC Personnel	53
D.5	Definitions.....	53
APPENDIX E – HURRICANE PLAN.....		54
E.1	Purpose.....	54
E.2	Concept of Operations	54
E.3	Responsibilities	67
E.4	Definitions.....	88
APPENDIX F – FREEZE CONDITIONS PLAN.....		89
F.1	Purpose.....	89
F.2	Concept of Operations	89
F.3	Responsibilities	90
F.4	Definitions.....	99
APPENDIX G – FLOOD PLAN.....		100
G.1	Purpose.....	100
G.2	Concept of Operations	100
G.3	Responsibilities	101
G.4	Definitions.....	103
APPENDIX H – FIRE AND EXPLOSION PLAN		104
H.1	Purpose.....	104
H.2	Concept of Operations	104
H.3	Responsibilities	105
H.4	Definitions.....	108
APPENDIX I – SERIOUS ACCIDENT PLAN.....		109

Stennis Plan	SPLN-1040-0006		9
	<i>Number</i>		<i>Rev.</i>
	Effective Date: November 1, 2023		
	Expiration Date: November 1, 2028		
	Page 11 of 150		
Responsible Office: Office of Protective Services			
SUBJECT: Emergency Management Plan			

I.1	Purpose.....	109
I.2	Concept of Operations	109
I.3	Responsibilities	110
I.4	General.....	111
I.5	Definitions.....	111

APPENDIX J – CIVIL DISTURBANCE PLAN 112

J.1	Purpose.....	112
J.2	Concept of Operations	112
J.3	Responsibilities.....	113
J.4	Increased Security Awareness Procedures.....	114
J.5	Bomb Scene Procedures	115
J.6	Bomb Threat Call Procedure	116
J.7	Definitions.....	118

APPENDIX K – CHEMICAL, BIOLOGICAL OR RADIOLOGICAL ATTACK PLAN 119

K.1	Purpose.....	119
K.2	General.....	119
K.3	Responsibilities	120
K.4	Definitions.....	123

APPENDIX L – POTABLE WATER CONTAMINATION PLAN 124

L.1	Purpose.....	124
L.2	Concept of Operations	124
L.3	Responsibilities	125
L.4	Definitions.....	126

APPENDIX M – POWER FAILURE PLAN 127

M.1	Purpose.....	127
M.2	Concept of Operations	127
M.3	Responsibilities	128
M.4	Definitions.....	129

APPENDIX N – ENVIRONMENTAL INTEGRATED CONTINGENCY PLAN 131

APPENDIX O – COMMUNITY DISASTER / RECOVERY PLAN 132

O.1	Purpose.....	132
O.2	Concept of Operations	132
O.3	Responsibilities	133
O.4	Definitions.....	135

APPENDIX P - PANDEMIC RESPONSE 136

P.1	Purpose.....	136
-----	--------------	-----

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 12 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

APPENDIX Q - SECURITY EMERGENCIES..... 137

Q.1	Purpose.....	137
Q.2	Concept of Operations	137
Q.3	Responsibilities	140
Q.4	Increased Security Awareness Procedures.....	141
Q.5	Security Emergency Procedures	142
Q.6	Hazard-Specific Contingencies.....	144

APPENDIX R – RESERVE / NEUTRAL GATE PROCEDURES 149

R.1	Purpose.....	149
-----	--------------	-----

APPENDIX S – ACTIVE SHOOTER PLAN 150

R.1	Purpose.....	150
-----	--------------	-----

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 13 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Figures and Tables

Table 1 - Hazard/Threat Matrix.....	15
Table 2 - Incident Command Post Staff.....	36
Table 3.B - SSC Incident Command System Training and Exercise Requirements Matrix.....	45
Table 4.B - Individual Certification Training Requirements	46
Table 5.E - Local TV/Radio Stations	58
Table 6.E - Generators	59
Table 7.E - Critical Infrastructure	61
Table 8.E - Emergency Power Connection Procedure (Building 2203).....	62
Table 9.E - Official Notice to Watercraft Owners and Operators	65
Table 10.E - Emergency Supplies - Quick Reference	66
Table 11.E - Emergency Response Team – Minimum Staffing.....	66
Table 12.E - Emergency Operations Center Condition IV Checklist (72 Hours).....	73
Table 13.E - Emergency Operations Center Condition III Checklist (48 Hours)	75
Table 14.E - Emergency Operations Center Condition II Checklist (24 Hours).....	77
Table 15.E - Emergency Operations Center Condition I Checklist (12 Hours).....	79
Table 16.F - Cooling Tower Listing for Freeze Conditions	93
Table 17.F - Air Chiller Listing for Freeze Conditions	94
Table 18.F - Mechanical Plumbing Listing for Freeze Conditions	96
Table 19.M - Power Failure Plan Notification List.....	130
Table 20.Q - Security Emergency Resource Listing.....	147

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 14 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

1.0 INTRODUCTION

1.1 Purpose

This Emergency Management Plan (EMP) has been prepared to assist NASA and its contractor team in organizing and providing response actions as required by emergency conditions at the National Aeronautics and Space Administration (NASA) John C. Stennis Space Center (SSC).

All NASA and NASA contractor emergency response personnel and key contacts at each resident agency or company at SSC should be familiar with the contents of the plan and should maintain their copies in a current and available condition to ensure their readiness to implement corrective or continuing actions for all potential emergency/disaster situations. A current copy of this Emergency Management Plan is maintained on the SSC Technical Document System.

1.2 Applicability

- a. The provisions of this plan apply to NASA SSC.
- b. This plan applies to NASA contractors to the extent defined by their contracts.
- c. Provisions of this plan apply to the resident agencies and companies at SSC as defined in their agreements for occupancy here at SSC.

1.3 Authority

NPR 8715.2, NASA Emergency Preparedness Procedural Requirements

1.4 References

- a. SPD 1107.1, SSC Organization Mission and Responsibilities
- b. SPLN-1040-0005, John C. Stennis Space Center, Continuity of Operations Program Plan
- c. SPLN-3792-0001, SSC Critical Incident Stress Management Program
- d. SPLN-8621-0003, SSC Mishap Preparedness and Contingency Plan
- e. SCWI-8500-0020-ENV, Environmental Integrated Contingency Plan
- f. NPR 1800.1, NASA Occupational Health Program Procedures
- g. NPR 8715.2, NASA Emergency Management Program Procedural Requirements

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 15 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

1.5 Situation and Assumptions

Local hazards or emergency incidents can disrupt center operations, cause damage, and create casualties. Natural hazards include hurricanes, tornadoes, fires, and winter storms. Other disaster situations can develop from an environmental or hazardous material incident, fire, transportation accident, terrorism, civil disorder, violence in the workplace, or the threat of nuclear/conventional attack. A matrix of possible hazards and threats and their likelihood of occurrence is provided in Table 1 below.

Historically, the Mississippi and Louisiana Gulf Coasts have experienced devastating hurricane events that resulted in significant damage and loss of life. Most notable among these are hurricanes Camille in 1969 and Katrina in 2005.

Table 1 - Hazard/Threat Matrix

Possible Hazard/ Threat	Likelihood	Vulnerability	Worst Threats	Comments
Hurricane	High	Disaster	X	Historically, the Gulf Coast Region has experienced devastating hurricanes
Tornado	Low	Disaster		
Flood	Low	Disaster		Most likely threat is storm surge flooding associated with hurricanes
Winter storm	Low	Disaster		
Highway/ transport accident	Medium	Emergency		Threat from both traffic along Trent Lott Pkwy and HAZMAT-loaded vehicles servicing SSC
Wildfire	Medium	Disaster		
Terrorism	Low	Emergency		
Vandalism	Medium	Emergency		
Violence in the workplace	Medium	Emergency		
Active Shooter	Medium	Emergency		
Civil disorder	Low	Emergency		
Structural fire	Medium	Emergency		
Severe thunderstorms with lightning	High	Emergency	X	Most dangerous threat to personnel in open areas

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 16 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Possible Hazard/ Threat	Likelihood	Vulnerability	Worst Threats	Comments
Hazardous Material (HAZMAT) incident	High	Emergency	X	Threat due to the nature of the facilities at SSC
Flu Pandemic	Medium	Emergency		

1.6 Plan Organization

The remainder of this plan is organized into three major sections for clarity, covering:

- The Emergency Operations Center (Section 2.0)
- Incident Management (Section 3.0)
- Specific Emergency Response Procedures (Appendices)

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 17 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

2.0 EMERGENCY OPERATIONS CENTER

The Emergency Operations Center (EOC), located in Building 8000, is the primary location of response capabilities maintained for responding to emergencies at SSC. The sections below outline the specific capabilities that are maintained and the expectations that exist for each. These capabilities are maintained by contract, approved procedures, and appropriate personnel training. Each area will be audited annually on these capabilities, usually before June 1 of each year.

Incident Commanders (ICs) and Incident Command Post (ICP) personnel will pull from these capabilities and facility functions to accomplish their emergency tasks. As a general rule, SSC will call upon capabilities as needed for immediate emergencies. When sufficient time allows for preparation for an emergency, such as with a tropical storm or a hurricane, these capabilities will be called on to secure facilities and to vacate SSC once their preparations are complete. Only a small contingent of personnel will be kept onsite during a tropical storm or hurricane at the discretion of the IC. Once tropical force winds leave the SSC area, Fire Department and facilities contractor personnel will make inspections of facilities for dangerous or critical damage and the ICP personnel will call in capabilities to address damage as needed.

2.1 Fire Department

The SSC Fire Department is located on the east end of the EOC. It has responsibility for fire protection services for all the buildings and personnel at SSC. The SSC Fire Department maintains the following capabilities:

- 24/7 operational status
- One (1) primary response pumper
- One (1) Quint aerial apparatus
- One (1) reserve pumper
- An equipped confined space rescue trailer
- An equipped HAZMAT trailer
- Class A air-filling capability
- Trained personnel, as follows:
 - ICs (Fire Chief and Fire Captains)
 - Independent Study (IS) 100, IS 200, IS 700, and IS 800
 - HAZMAT Incident Command
 - Fire Fighters (all)
 - IS 100, IS 200 and IS 700
 - HAZMAT Technician Level Certified

2.2 Emergency Medical Technician Capability

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 18 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Emergency Medical Technicians are co-located with the Fire Department personnel and are responsible for providing emergency medical services and transporting personnel to the SSC Medical Clinic or to a hospital in the area should the situation warrant. American Medical Response (AMR) also provides Advanced Life Support (ALS) transport for SSC to area hospitals. Emergency Medical Technicians maintain the following capabilities:

- 24/7 operational status
- Two (2) ambulances
- Trained personnel, as follows:
 - Emergency Medical Technicians
 - Basic life support
 - IS 100 and IS 200 and IS 700

2.3 Security Services

Security services, located in the EOC, is responsible for providing security and other emergency-related services as follows:

- 24/7 operational status
- Central dispatch operation
 - National Oceanic and Atmospheric Administration (NOAA) weather radio operational capability
 - National Warning System (NAWAS) monitoring capability
 - Interactive National Weather Service (INWS) monitoring capability
 - Local weather report capability
 - Monitor Center Operations Directorate provided Lightning Detection System
 - Trunk radio site-wide broadcast capability
 - Closed Circuit Television (CCTV) monitoring capability
 - Other Storm Ready capabilities needed to maintain certification
- Roving security patrols
- Badge access management
- Trained personnel as follows:
 - Security Staff (NASA) serving as IC
 - IS 100, IS 200 and IS 700
 - Security Management (Contractors)
 - IS 100, IS 200, IS 700 and IS 800
 - HAZMAT
 - Security Patrol Officers
 - IS 100, IS 200 and IS 700
 - HAZMAT

2.4 Medical Clinic

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 19 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

The SSC Medical Clinic is located on the west end of the EOC Building. It is responsible for emergency medical services during the normal workday at SSC. The SSC Medical Clinic maintains the following capabilities:

- Normal workday operations
- Ability to perform employee testing/screening to meet Occupational Safety & Health Administration (OSHA) medical standards
- Ability to perform medical surveillance
- Ability to implement Critical Incident Stress Management (CISM) program (SPLN-3792-0001)
- Ability to decontaminate personnel before entry into Medical Clinic
- Ability to isolate contagious patients
- Trained personnel as follows:
 - Chief Medical Officer
 - IS 100, IS 200, IS 700, IS 800
 - Medical support personnel
 - IS 100, IS 700
 - HAZMAT

2.5 Helicopter Landing Capability

The EOC maintains a helicopter landing capability classified under the National Incident Management System (NIMS) as a “Heli-spot.” The following capabilities are maintained:

- 24/7 availability
- One concrete lighted helicopter pad
- Two grass helicopter landing areas
- Designated communication channels
- Notification of area control towers of pad and approach information
- Federal Aviation Administration (FAA) shout line for direct access to New Orleans approach

2.6 Energy Management Control System Office

The Energy Management Control System (EMCS) Office is located in the EOC and provides visibility and control of over 65,000 points at SSC. From their vantage point, valves and vents can be closed or opened in most buildings, leaks can be detected that pose risks to personnel and the environment, and alarms can be monitored to ensure safety. The following capabilities are maintained:

- 24/7 availability
- EMCS visibility to all control/monitoring points
- Trained personnel as follows:
 - EMCS operators

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 20 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

- IS 100, IS 200, IS 700

2.7 Incident Command Post

The Incident Command Post (ICP) is co-located with the EMCS Office. In times of emergency that merit the activation of multiple resources from across the Center, the ICP will be staffed by personnel from the EMCS Office. The ICP is under the management of the IC as appointed by the Emergency Management Officer.

In rare instances, the ICP may be activated closer to an incident, outside the EOC. In these instances, the EMCS staff will provide support as necessary to the ICP as situated in the field.

The ICP inside the EOC maintains the following capabilities:

- 24/7 availability
- Location of the Contractor Emergency Management Coordinator Office
- Capability to view CCTV surveillance cameras
- Capability to communicate via satellite phones
 - Maintain 2 satellite phones in ready condition and 2 in standby
- Capability to connect phones and internet to a portable satellite dish
 - Maintain a portable satellite dish system
- Capability to view television broadcasts via cable and satellite
- Trained personnel as follows:
 - ICP operators
 - IS 100, IS 200, IS 700

2.8 Joint Information Center (JIC)

In the event of a robust media interest in an SSC emergency response a JIC will be established as needed at the SSC North Gate training room. Under no circumstance will the media be permitted on SSC grounds unless approved by the IC or SSC Senior Leadership (Director, Deputy Director, or Assistance Director). The training room is set up to allow for small-scale interviews and sharing of information and will be coordinated with the Office of Communications.

2.9 Emergency Management Officer/General Staff Office

The Emergency Management Officer and the General Staff members of the EOC are housed in the EOC Conference Room. The General Staff members are in charge of planning, information technology, public affairs, safety, and liaison activities with the resident agencies. This provides the following capabilities to the EOC:

- Planning for known upcoming emergency events
- Planning for potential emergency events

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 21 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

- Information technology expertise
- One single voice with media during emergency operations
- Full integration of safety into SSC's preparations and response activities
- Liaison with our many resident agencies to maintain appropriate communications
- Trained personnel as follows:
 - Emergency Management Officer
 - IS 100, IS 200, IS 300, IS 400, IS 706, IS 775, IS 700, IS 800
 - General staff
 - IS 100, IS 200, IS 706, IS 775, IS 700, IS 800

2.10 Emergency Operations Center (EOC) Conference Room

Centrally located within the EOC, the EOC Conference Room provides a location for general meetings as well as a place where senior management can meet and observe the operations inside the ICP through a clear glass divider. This provides the following capabilities to the EOC:

- Ability to make a stationary address over the SSC TV network
- PowerPoint, webinar, and telecom capabilities
- Location for all Incident Command System (ICS) functional elements to meet
- Monitors to project live and computer-generated images and information

2.11 Closed Circuit Television (CCTV) and Access Control Capability

Closed Circuit TV services and electronic control system capabilities are housed in the EOC. This provides the following capabilities to the EOC:

- Controlled access capability
- Trained personnel as follows:
 - CCTV and access control personnel
 - IS 100, IS 700

2.12 Emergency Communications Center

SSC's ham radio operations and other emergency communication devices are located adjacent to the Incident Command Post. This provides the following capabilities to the EOC:

- Alternative means of communication over the airwaves
- Trained personnel as follows:
 - Ham radio personnel
 - IS 100, IS 700

2.13 Back-up Generator Capability

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 22 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Next to the EOC are two emergency generators that operate on natural gas with a diesel fuel back-up. They provide redundant capabilities, as only one generator is needed to operate the entire EOC.

2.14 Cell Tower and Communication Equipment Capability

The equipment storage building next to the EOC is connected to the EOC via duct banks. Information collected from sensors and antennae on the adjacent tower are routed through the equipment storage building to the EOC. The tower contains antennae for the ham radio system, weather monitoring system, and satellite TV. This provides capabilities to the EOC as follows:

- Ham radio operation
- Onsite weather monitoring (wind, temperature, rain, etc.)
- Commercial satellite TV services

2.15 Emergency Operations Center Staging Area

There is an EOC staging area on the first floor for distribution of emergency supplies and equipment before, during and after emergency operations. Typically, the following items will be staged in the staging area:

- Emergency response supplies and gear
- Supplies for EOC operations

2.16 Central Engineering Files

To provide readily available access to building information for repair or response, the Central Engineering Files (CEF) are located inside the EOC.

2.17 Engineering Services

To provide engineering and architectural services to meet repair and recovery needs, engineering services is co-located inside the EOC.

2.18 Other Facilities and Capabilities Covered Under Incident Command System

Several facilities and capabilities at SSC that are critical in anticipation of potential emergencies are located in other areas at SSC.

2.18.1 Communications Facility/Alternate Incident Command Post

The SSC Communications Facility in Building 9357 is the critical point of connection between the onsite phone and internet systems and those external to SSC. This facility provides the following capabilities to the ICS:

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 23 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

- Offsite communications
- Trained personnel as follows:
 - Communication personnel
 - IS 100, IS 700

2.18.2 Data Center

The SSC Data Center in Building 9323 contains the critical data system for the facility. This facility provides the following capabilities to the ICS:

- Back-up of vital record/business/technical data
- Trained personnel as follows:
 - Information Technology Personnel
 - IS 100, IS 700

2.18.3 Records Storage Facility

The SSC Records Storage Facility in Building 3204 contains hard copy storage of inactive and important records. The facility and its personnel provide the following capabilities to the Incident Command System:

- Secure facility that has been hardened to protect hardcopy documentation
- Resources to support records disaster mitigation and remediation
- Direction on the preservation and protection of electronic records
- Trained personnel as follows:
 - Records Personnel
 - National Archives & Records Administration (NARA)/Records Emergency Planning and Response
 - NARA/ Vital Records Management
 - IS 100, IS 700

2.18.4 Logistical Operations

The following logistical support operational capabilities are maintained at a functional level for all potential emergency operations.

2.18.4.1 Emergency Supplies Storage

Emergency supplies are maintained in Building 2207. Warehouse personnel are required to provide needed supplies to personnel involved in the preparation for and recovery from emergency situations. Accurate inventories of supplies should be maintained and provided to the Emergency Management Officer and ICs for planning purposes.

2.18.4.2 Fuel Management

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 24 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Fuel is needed to operate generators and vehicles during times of emergency. Fuel storage facilities and the distribution process must be in functional order at all times.

- Trained personnel are as follows:
 - Fuels management personnel
 - IS 100, IS 700
 - HAZMAT

2.18.4.3 Emergency Generators (Fixed and Mobile)

The list of emergency generators available onsite to address emergency power needs is found in Table 6.E. In general, generators are distributed to predetermined locations on or before June 1st of each year and remain there until November 30th.

2.19 Other Incident Command System Capabilities

Other capabilities not specifically mentioned above, but available onsite, will be commandeered on an as needed basis to meet emergency response objectives. If needed capabilities are not available at SSC, the IC will, through appropriate work channels, order these services or will call upon NASA Headquarters to make necessary arrangements.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 25 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

3.0 INCIDENT MANAGEMENT

The capabilities mentioned in Section 2.0 are utilized in response to emergency situations and when an ICS is implemented for emergency management. This command system is in full compliance with the National Incident Management System (NIMS), providing for common positions, terminology, forms, and a hierarchal command structure.

Due to the multi-tenant nature of SSC, an Emergency Council has been formed that is comprised of authorized representatives from all resident agencies and organizations. The Council will advise and support the IC and act as official agents to transmit information and emergency directives to their appropriate organizations. The Emergency Council will convene at least annually before hurricane season to address the following issues:

- Update key personnel appointments in the SSC Key Personnel database (key contacts, emergency council coordinators, etc.).
- Provide recommended updates to this plan.
- Hold a general discussion of emergency preparedness and possible improvements.

Traditional management structure is used to represent NASA authorities down to the IC. The structure from the IC follows an established pattern but will be modified as the emergency situation warrants. The following sections outline responsibilities by position.

3.1 NASA Personnel Responsibilities

3.1.1 Center Director makes or approves all final policy decisions regarding emergency or disaster matters affecting SSC. To ensure continuity of operations during an emergency as outlined in SPLN-1040-0005, John C. Stennis Space Center, Continuity of Operations Program Plan, the succession of the SSC Director's authority shall be in accordance with NPR 8715.2.

3.1.2 Deputy Center Director chairs the SSC Emergency Council.

3.1.3 Director, Center Operations Directorate serves as the Deputy Chair of the SSC Emergency Council and will designate the Emergency Management Officer.

3.1.4 Emergency Management Officer (or his/her representative)

- Manages the EOC as a whole in accordance with NIMS terminology.
- Ensures emergency response personnel meet the qualification/training requirements specified in Appendix B of this plan and, if not civil servants, are available per contract requirements.
- Administers the EOC and, in this capacity, serves as the primary advisor to senior SSC leadership relative to the Incident Management System.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 26 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

d. Appoints the ICs for given types of situations. Typically, the Emergency Management Officer, alternate or Logistics Officer handles natural disasters, the Security Officer handles acts of terrorism, and the Fire Chief handles chemical or oil releases.

e. Provides support, as required, to the EOC by providing primary and alternate members for the positions as depicted in the organizational structure of the EOC.

f. Reviews the IC's report after any exercise or emergency response activity to ensure that recommendations deemed appropriate are documented for corrective or preventive action and tracked through closure.

g. Works with other NASA Centers or Headquarters as well as other federal, state, community or private organizations to achieve emergency readiness or response.

h. Maintains recall emergency rosters and employee evacuation data as required.

i. Prepares and maintains vital records for expeditious deployment to alternate facility in support of the SSC Continuity of Operations Plan (COOP) (SPLN-1040-0005).

3.1.5 Chief Financial Officer (CFO)

a. Provides support, as required, to EOC by providing a primary and alternate Finance official.

b. Ensures that the designated member of the EOC meets the required qualification/ training requirements as specified in Appendix B of this plan.

c. Maintains recall emergency rosters and employee evacuation data as required.

d. Prepares and maintains vital records for expeditious deployment to alternate facility in support of the SSC COOP Plan (SPLN-1040-0005).

3.1.6 Finance Official

The Finance Official(s) will:

a. Perform the resource management and financial management support as required by the EOC.

b. Complete the required SSC ICS training prior to assuming duties (IS-100, IS-200).

c. Maintain current contact information with supervisor.

d. Be prepared to participate in exercises and training as required.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 27 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

3.1.7 Procurement Officer

- a. Provides support, as required, to EOC by providing a primary and alternate Contracting Officer with appropriate credentials.
- b. Ensures that the designated member of the EOC meets the required qualification/ training requirements as specified in Appendix B of this plan.
- c. Maintains recall emergency rosters and employee evacuation data as required.
- d. Prepares and maintains vital records for expeditious deployment to alternate facility in support of the SSC COOP Plan (SPLN-1040-0005).

3.1.8 Contracting Officer

The Contracting Officer(s) assigned to the EOC will:

- a. Perform the procurement support as required by the EOC.
- b. Complete the required SSC ICS training prior to assuming duties (IS-100, IS-200).
- c. Maintain current contact information with supervisor.
- d. Be prepared to participate in exercises and training as required.

3.1.9 Manager, Office of Human Capital

- a. Executes responsibilities for leave administration, timekeeping, hours of duty and employee notification during emergency preparedness operations as follows:
 1. Leave Administration: In an emergency situation, sets policies and guidelines as appropriate to ensure proper usage of leave and overtime.
 2. Timekeeping: In conjunction with the Office of the CFO, Financial Management Division (FMD), the Office of Human Capital (OHC) is responsible for the processing and maintenance of timekeeping and payroll accounts to ensure all employees are accurately paid, during emergency operations. The Center Operations Directorate, Information Technology (IT) Branch, is responsible for providing technical and administrative automated systems support. The OHC, FMD and IT, will work closely to ensure payroll is accurate and processed in a timely manner.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 28 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

3. If NASA SSC is unable to process payroll onsite in an emergency situation, payroll will be processed remotely through NASA's Marshall Space Flight Center, Huntsville, Alabama or the NASA Headquarters Office, Washington, DC.

4. Hours of Duty and Operations: When an emergency situation exists, and payroll is processed remotely, all employees will be paid using the standard workweek schedule for full-time employees consisting of a 40-hour per week schedule.

5. Emergency Contact Information: The OHC will validate emergency contact information for all NASA employees on an annual basis. The NASA Organizational Profile System (NOPS) will be used for this purpose. During emergency situations, employees will be notified using information in the NOPS system.

b. Provides support, as required, to the EOC by providing a primary and alternate Human Capital representative for service in the EOC.

c. Ensures that each designated member of the Emergency Operations Center meets the qualification/training requirements as specified in Appendix B of this plan.

d. Prepares and maintains vital records for expeditious deployment to alternate facility in support of the SSC COOP Plan (SPLN-1040-0005).

3.1.10 Human Capital Representative

The Human Capital Representative(s) will:

- a. Perform the tasks assigned by the IC.
- b. Serve as the Accountability POC for NASA Civil Servants
- c. Complete the required SSC ICS training prior to assuming duties (IS-100, IS-200).
- d. Maintain current contact information with supervisor.
- e. Be prepared to participate in exercises and training as required.

3.1.11 Director, Safety and Mission Assurance Directorate

- a. Provides support, as required, to the EOC by providing a primary and alternate Safety Officer for service in the Emergency Operations Center.
- b. Maintains preparedness to provide safety oversight and conduct investigations as required.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 29 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

c. Ensures that each designated member of the Emergency Operations Center meets the qualification/training requirements as specified in Appendix B of this plan.

d. Prepares and maintains vital records for expeditious deployment to alternate facility in support of the SSC COOP Plan (SPLN-1040-0005).

3.1.12 Director, Office of Communications

a. Provides support to the EOC by providing a primary and alternate Public Affairs Officer.

b. Ensures that the designated member of the EOC meets the required qualification/ training requirements as specified in Appendix B of this plan.

c. Maintains recall emergency rosters and employee evacuation data as required for Office of Communications.

d. Prepares and maintains Office of Communications vital records for expeditious deployment to alternate facility in support of the SSC COOP Plan (SPLN-1040-0005).

3.1.13 Public Affairs Officer

The Public Affairs Officer(s) assigned to the EOC will:

a. Conduct interface with the public as required by the IC.

b. Complete the required SSC ICS training prior to assuming duties (IS-100, IS-200).

c. Maintain current contact information with supervisor.

d. Be prepared to participate in exercises and training as required.

3.1.14 Logistics Officer

a. Provides support, as required, to the EOC by providing representation to the EOC.

b. Completes the required SSC ICS training prior to assuming duties (IS-100, IS-200, IS-700 and IS-800).

c. Maintains current contact information with supervisor.

d. Maintains recall emergency rosters and employee evacuation data as required.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 30 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

e. Maintains preparedness to serve as the IC, as required, primarily for weather related events.

f. Be prepared to participate in exercises and training as required.

3.1.15 Security Officer

a. Provides security services as required.

b. Provides support, as required, to the EOC by providing representatives to the EOC.

c. Completes the required SSC ICS training prior to assuming duties (IS-100, IS-200, IS 700 and IS-800).

d. Maintains current contact information with supervisor.

e. Participates in exercises and training as required.

f. Maintains recall emergency rosters and employee evacuation data as required.

g. Prepares and maintains vital records for expeditious deployment to alternate facility in support of the SSC COOP Plan (SPLN-1040-0005).

h. Maintains preparedness to serve as the IC, as required, primarily for law enforcement events and acts of terrorism.

3.1.16 Chief Counsel

a. Provides legal advice on compliance with Federal, state, and local laws applicable to emergency preparedness.

b. Provides legal guidance in the preparation of all emergency plans and documents pertaining to the emergency management plan, and during an actual event.

c. Provides legal advice on NASA interagency agreements, Memoranda of Agreement (MOA), and Memoranda of Understanding (MOU) with Federal, state, or local agencies.

d. Interprets local, state, and Federal emergency preparedness directives.

3.2 NASA Contractor Support Personnel

3.2.1 Contract Emergency Management Coordinator

a. Coordinates all Emergency Operation Center functions for the contractor

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 31 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

b. May fulfil the role of Planning Section Chief during EOC activations.

3.2.1.1 Contract EOC Facility Operations Section Chief

a. Ensures the contractor is prepared for and complies with NASA-established requirements assigned to the Contractor at SSC.

b. Fulfills Contract responsibilities covered in this plan and further specified in the contract.

3.2.1.2 Fire Chief

a. Provides emergency fire services as required.

b. Provides support, as required, to the EOC by providing representatives to the EOC.

c. Completes the required SSC ICS training prior to assuming duties (IS-100, IS-200, IS-700 and IS-800).

d. Maintains recall emergency rosters and employee evacuation data as required.

e. After each annual exercise (drill) that involves activation of SCWI-8500-0020-ENV (SSC Environmental Integrated Contingency Plan), and when serving as IC, the Fire Chief shall provide a report to the Emergency Management Officer that includes recommendations to correct, modify or improve emergency response operations and written procedures.

f. Maintains preparedness to serve as the IC, as required, primarily for fire and hazardous material response related events.

3.2.1.3 Chief Medical Officer

The Chief Medical Officer:

a. Provides emergency medical services for the EOC as required including providing other representatives as necessary.

b. Completes the required SSC ICS training prior to assuming duties (IS-100, IS-200, IS-700, and IS-800).

c. Maintains recall emergency rosters and employee evacuation data as required.

3.2.1.4 Shop Support, High Voltage and Logistics Personnel

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date:	November 1, 2023
	Expiration Date:	November 1, 2028
Page 32 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

a. The Contractor has identified three additional lead positions needed in emergency operations. They are as follows:

- Shop Support Lead
- High Voltage Lead
- Logistics Lead

b. These positions are activated by the EOC Facility Operations Section Chief based on need.

3.2.2 Other NASA Contractors

Comply with emergency response requirements per their contract.

3.2.2.1 Security Contract EOC Security Operations Section Chief

Fulfills contract responsibilities covered in this plan and further defined by contract.

3.2.2.2 LS Contract Geographic Information System (GIS) Specialist

Provides GIS support to emergency planning and operations as requested by the EOC Planning Section Chief or Incident Commander.

3.2.2.3 ITS Contract Personnel

The Information Technology Services (ITS) contractor provides personnel to support the following EOC positions, as requested by the EOC Planning Section Chief or Incident Commander:

- IT Specialist
- Emergency Communications Center (ECC) Operator

3.3 Concept of Operations

NASA has designed an EOC to enable effective and efficient incident management by integrating a combination of facilities, equipment, personnel, procedures, and communications operating within a common organizational structure. The EOC is based on the principles and characteristics detailed in the National Incident Management System (NIMS). Therefore, the five components of NIMS are used to form the foundation of SSC emergency and incident response as follows:

- Preparedness
- Communications and Information Management
- Resource Management
- Command and Management

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 33 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

- Ongoing Management and Maintenance

3.3.1 Declaration of Emergencies and Coordination

In the event an emergency, alarms will be sounded, and messages will be transmitted as outlined in this plan. The types of alarms and notifications that are provided are as follows:

- Fire Alarms
- Lightning Advisories
- Lightning Warnings
- Lightning All Clear
- Hydrogen Gas Leaks
- Hydrogen Gas Fires
- Tornado Warnings
- Hurricane Readiness Condition Levels

In addition to the audible and email notifications from the outdoor Emergency Warning System for lightning and tornadoes, the agency-wide Emergency Notification System (ENS) will be used to deliver emergency notifications using the ENS Communicator system. The ENS will rapidly disseminate emergency information on an incident, provide instructions to the agency population (civil servants and contractors) as a whole or to SSC personnel, and allow employees the opportunity to report their accountability/safety status. The system has the capability to notify via multiple communication devices (e.g., home/office telephone, email, pager, cellular, and text). The system can be used for personnel and special staff call-ins as part of the emergency notifications. The system also has a survey module, which can be used for personnel accountability. System use is based on the urgency, frequency, audience, and other criteria established by the Emergency Management Officer.

Only trained and authorized personnel shall have access to the ENS system and ENS Survey Module. There are two situations when sending ENS messages are authorized:

- **Emergency or Life-Threatening Situation:** A situation posing significant danger to employees such as a fire, hazardous material situation, violent criminal activity, active shooter, bomb threat, suspicious package, hostage situation, etc. These types of notifications generally affect some or all individuals in a defined location. SSC ENS operators will make every effort to coordinate the appropriate ENS message with SSC Emergency Management Officer. However, the situation may require immediate notification. In these cases, the “canned” messages in the system will be used without further permissions under these circumstances.
- **Urgent or Time Sensitive Information:** Utility interruptions, unusual circumstances likely to cause discomfort or alarm, road closings that impact entry/exit to the Center's facilities, staff call-ins for emergency response teams, or other unusual incidents. SSC operators will coordinate the appropriate ENS message with the SSC Emergency Management Officer before sending an ENS message for the above-cited

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 34 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

examples (Urgent or Time Sensitive Information).

The ENS will not be used for non-emergency situations such as heavy traffic, elevator outages, or building/office closures due to non-emergency situations. Authorization to send Agency-wide or Center-specific notifications will be authorized from the highest level as circumstances permit. Notifications involving immediate life safety issues may need to be sent on short notice or no notice, without full authorization. The appropriate mode(s) of distribution will be determined at the Center by the incident timeline and populations affected.

When needing to capture information on the status of employees and contractors, the ENS operator will use the "Are you okay?" call flow and the Web Check-In functionality of the tool. In times where a follow-up assessment on the safety status or other pertinent information is needed, the NASA Accountability POC or Emergency Management Officer may administer an ENS Survey(s) through the Survey Module.

The Emergency Management Officer will be notified each time the ENS is used at a Center. SSC will conduct quarterly End-to-End testing using the ENS testing template to ensure familiarity with the system is maintained. The Center ENS POC will notify the OPS System Administrator of the testing date and ensure that Center testers are advised of the ENS test at least one week prior to the test.

In addition to the ENS system, the SSC Site Status cell phone application will be used to disseminate to all employees site-wide the status of Stennis Space Center through cellular phone push notifications, email and updating of the SSC intranet home page. Employees are encouraged to download the site status application to their cellular device to receive the notifications. The site status application is also used to send out weather notifications to include automated lightning alerts and severe weather and tornado notifications.

3.3.2 Classification of Emergencies

There are three established categories for classifying emergency or disaster conditions at SSC:

- Class I Emergency: A minor or minimum emergency situation which should and can be contained or controlled by the IC and a single section of the Incident Command.
- Class II Emergency: An emergency situation beyond the capabilities of a single section of the Incident Command, requiring the assignment of additional SSC effort or offsite assistance.
- Class III Emergency: An emergency of disastrous proportions requiring action on the part of all SSC personnel and possibly offsite assistance.

3.3.3 Incident Commander Designation

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 35 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

The IC will be selected by the Emergency Management Officer based on the scale and complexity of the incident. The IC will coordinate all emergency activities and will be responsible to the Emergency Management Officer.

The IC is responsible for:

- a. Establishing incident management objectives and strategies.
- b. Ensuring that all functional areas are directed toward accomplishment of the strategy.
- c. Ensuring the complete preparation of Incident Action Plans and ensuring the successful accomplishment of assigned tasks and objectives.
- d. Completing the required training prior to assuming duties as IC.

A Deputy IC may be appointed by the Emergency Management Officer or IC if the incident will require a long-term recovery effort. The Deputy IC will perform all tasks associated with the duties of the IC and those tasks directed by the Emergency Management Officer or IC.

3.3.4 Activation of SSC Incident Command Post

When required by the nature or category of the disaster or emergency, either the Emergency Management Officer or the appointed IC shall activate the ICP inside the EOC in Building 8000. The ICP is in Room 113. The phone number is 228-688-3777. This facility will be the central communication point for emergencies at SSC and will serve as the command, control and coordination center for all SSC activities involved in or affected by the situation. The designated Contract Emergency Management Coordinator will report to the ICP, organize required communications and associated data, and staff the center as required by the IC.

The basic ICP organization is identified in Table 2. It is, however, modular, adaptable, and scalable to the type, size and complexity of any emergency or incident. It will expand and/or contract as the incident matures. All the positions listed in Sections 3.1 and 3.2 will be available for staffing during the course of the incident, depending on the need.

3.3.5 Resource Management

SSC has established processes that provide ICs with timely and appropriate resources during an incident. During incidents, SSC resource management will take place in the ICP and in coordination with the NASA Headquarters Emergency Operations Center, when both are established. The IC will prioritize and coordinate resource allocation and distribution. As a general rule, ICs and ICP personnel will call upon capabilities as needed for immediate emergencies. When sufficient time allows for preparation for an emergency, such as with a

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 36 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

tropical storm or a hurricane, these capabilities will be called on to secure facilities and to vacate SSC once their preparations are complete. Only a small contingent of personnel will be kept onsite during a tropical storm or hurricane at the discretion of the IC. Once tropical force winds leave the SSC area, Fire Department personnel will inspect facilities for dangerous or critical damage and the ICP personnel will call in capabilities to address damage as needed.


3.3.5.1 Pre-incident Inventory of Resources

The Logistics Officer will conduct an inventory of standby listing items and custodial inventory emergency supplies prior to June 1st of each year. Procurements will be executed, as required, to ensure adequate inventories are maintained.

3.3.5.2 Procurement of Resources and Services Not Available Onsite

During the incident, the initial assessment will identify resources and services required that cannot be fulfilled by on-hand inventories or onsite contractors. The IC will coordinate with the NASA Procurement Officer or a Contracting Officer to rapidly and efficiently obtain the required resources or services. All requests for support from other Centers will be coordinated by the Emergency Management Officer, ICs, or ICP staff through the NASA Headquarters Emergency Operations Center.

Table 2 - Incident Command Post Staff



Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 37 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

3.3.5.3 Post-Incident Accounting

After the incident is declared, contained, and/or mitigated, the EOC will reconcile procurement and distribution of resource and service activities through the appropriate Directorates for accountability.

3.4 Training

The SSC Incident Management System requires training and preparation of the teams that will be called upon to execute emergency operations in order to most effectively and efficiently manage future disasters and emergencies.

This training and preparedness is intended to:

- Establish emergency management personnel qualifications
- Establish an SSC emergency management exercise program
- Establish a planning and plans review schedule and methodology
- Establish mitigation measures and strategy
- Establish publication management procedures

The Emergency Management Officer and the ICs will conduct an aggressive training program to ensure that the organization is prepared to manage all incidents and emergencies that might occur and that EOC personnel are certified. ICS training requirements are contained in Appendix B.

3.5 Exercises

SSC participates in all-hazard exercises based on NIMS that involve first responders from multiple disciplines and jurisdictions. The following is a list of required exercises:

- a. Alert and notification drill each quarter.
- b. COOP exercise each fiscal year.
- c. Quarterly National Incident Response exercises as directed by NASA Headquarters.

3.6 Planning

This EMP serves as the foundation document for preparedness activities and, in the event of an incident, the basis for response. Therefore, this EMP, and its supporting plans and references, will be reviewed annually.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 38 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

As part of the planning process, the Emergency Management Officer will work with the ICs and other responsible parties to adequately plan for potential emergencies. During incidents, the ICP staff or the Planning Section Chief, depending on the complexity of the emergency, will prepare an Incident Action Plan that will include the following:

- ICS Form 202 – Documents what needs to be done
- ICS Form 203 – Documents who will be responsible for doing what tasks
- ICS Form 204 – Documents how the tasks will be carried out
- ICS Form 205 – Documents the communications plan during the operation
- ICS Form 206 – Documents the medical action plan for the operation

Each day of the incident, the ICP staff or the Planning Section Chief will also be expected to provide an incident briefing using ICS Form 201.

3.7 Multi-Agency Coordination

The Emergency Management Officer, ICs, and the Liaison Officer will coordinate with other government agencies and contractors as appropriate. They will also keep NASA Headquarters Emergency Operations Center informed as well.

3.8 Public Information

During incident situations, all interface with the public and media will be coordinated through the Public Affairs Officer. All public information releases will also be approved by the IC.

3.9 Communication Technology

The EOC, located in Building 8000, utilizes standard communications technologies and capabilities. Other incident communications such as satellite phones, Ham radios, and a portable satellite dish for voice and internet connectivity help to ensure redundant connectivity. The EOC will be prepared to operate without normal land line telephone service and data communications.

3.10 Mitigation

Mitigation activities are important elements of preparedness and provide a critical foundation across the incident management spectrum.

The Emergency Management Officer will make available an Emergency Preparedness Briefing to SSC senior management and contractor management to be used in employee briefings to their employees. This will be provided each year prior to May 15th with an anticipation of employee training prior to June 1st.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date:	November 1, 2023
	Expiration Date:	November 1, 2028
Page 39 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

3.11 Publication Management

a. The Emergency Management Officer will be responsible for developing the procedures for review, certification, and methods for publication control.

b. Publications will include, but not be limited to:

- This Emergency Management Plan
- The SSC Continuity of Operations Program (COOP) Plan

3.12 Supporting Technologies and Capabilities

Given the likelihood of incidents at other NASA Centers and facilities throughout the nation, SSC has identified the following unique technologies and capabilities available here at SSC that are available to provide support to national or NASA emergencies on an as requested by NASA Headquarters. Other support that exists at other NASA Centers and facilities throughout the nation that are potentially available to SSC in times of emergency will be assigned through NASA Headquarters.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 40 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

APPENDIX A – DEFINITIONS & ACRONYMS

All Clear – Notification issued by the Weather Bureau Office when the threat of a tornado or severe weather no longer exists in an area previously alerted.

Biological Incident – A human disease outbreak of a naturally occurring biological disease (communicable or non-communicable) or as a result of terrorist activity.

Bio-Terrorism – The deliberate releases of various, bacteria or other agents used to cause illness or death in people, animals or plants.

Chemical incident – The release or threatened release of toxic chemicals to cause illness or death in people, animals or plants.

Contaminant – Any unwanted physical, chemical, biological, or radiological substance in the soil, water, or air.

Destructive Winds – To be considered severe or destructive winds associated wind gust must be 58 mph or greater (50 knots or greater).

Disaster – An occurrence causing widespread destruction or distress.

Discharge, Spill or Release – The spilling, leaking, pumping, pouring, dumping or disposing of oil or hazardous substances intentionally or unintentionally into the environment.

Electrical Power Emergency – A hazardous condition that could endanger life or cause damage to equipment as a result of an electrical power failure.

Emergency – An unexpected, serious occurrence or situation requiring prompt action.

Emergency Communication Center – An area containing hand radio operations and other emergency communication devices.

Emergency Management Officer - The SSC Emergency Management Officer is appointed by the Director of the Center Operations Directorate and is responsible for coordinating all emergency activities involving SSC personnel in accordance with this plan. The SSC Emergency Management Officer (or his/her representative) has overall authority and responsibility for conducting incident operations and is responsible for the management of all operations at the incident site. Responsibilities include developing an effective organizational structure, allocating resources, making appropriate assignments, managing information, and achieving the basic objectives of the Incident Action Plan.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 41 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Employee Emergency Contact List - A list of names kept by the SSC Emergency Management Officer, of key personnel required to support an emergency in the command, operations, planning, logistics and finance and administration functions.

Emergency Operations Center – An area that contains response capabilities maintained in a ready status for rapid response to emergency situations.

Emergency Response Team – A team of selected employees who will respond to provide assistance in emergency/disaster situations.

Hurricane Resistant Facilities – Protective areas designated for use by employees who are scheduled to remain at SSC as part of an Emergency Response Team, or who are unable to evacuate because of imminent danger.

Ham Radio – Amateur radio communication in a range of frequencies from just above AM broadcast band (1.6 MHz) to the microwave region, at several hundred gigahertz. These frequencies have been designated for amateur use by the FCC. This radio is designed to provide emergency backup radio communications capability.

HAZMAT – Hazardous materials. The National Response Plan (NRP) defines Hazmat as a substance or material, including a hazardous substance, that has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce, and which has been so designated (see 49 CFR 171.8). The term is also intended to mean hazardous substances, pollutants, and contaminants as defined by the National Oil and Hazardous Substances Pollution Contingency Plan.

Incident Commander – Person designated by the Emergency Management Officer who assumes command and control of all personnel, equipment and apparatus at the emergency/incident scene. The IC assumes the role of commander and manager operating at the strategic level.

Incident Command Post – An area from which the Incident Commander can manage emergency incidents.

Incident Command System (ICS) – A proven management system based on successful business practices resulting from decades of lessons learned in the organization and management of emergency incidents.

Mutual Aid – The participation in an agreement with local government organizations for the purpose of mutually consenting to aid one another in the event of an emergency.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 42 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

NASA Mishap – Any unplanned occurrence, event, or anomaly. Injury to a member of the public while on NASA facilities is also defined as a NASA mishap. (Ref. NPR 8621.1, NASA Procedural Requirements for Mishap and Close Call Reporting Investigation and Recordkeeping).

National Incident Management System (NIMS) –The NIMS provides a consistent nationwide approach for Federal, state, territorial, tribal, and local governments to work effectively and efficiently together to prepare for, prevent, respond to, and recover from domestic incidents, regardless of cause, size, or complexity.

National Response Plan (NRP) – An all-discipline, all-hazards plan that establishes a single comprehensive framework for the management of domestic incidents. It provides the structure and mechanisms for the coordination of Federal support to state and local and tribal incident managers and for exercising direct Federal authorities and responsibilities.

Planning Section – Responsible for the collection, evaluation, and dissemination of information related to the incident, and for the preparation and documentation of Incident Action Plans.

Radiological Incident – The onset of symptoms requires days to weeks and there typically will be no characteristic signatures. Radiological materials are not recognizable by the senses, and are colorless and odorless.

Serious Accident – An occurrence, which results in a Class I emergency resulting in disabling injuries, a fatality or property damage in excess of \$10,000.

Vital Records – All records (regardless of physical form) required by government policy or contract to be protected.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date:	November 1, 2023
	Expiration Date:	November 1, 2028
Page 43 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Acronyms

AFB	Air Force Base
AL	Alabama
ALS	Advanced Life Support
AMR	American Medical Response
ATF	Bureau of Alcohol, Tobacco, Firearms & Explosives
CBR	Chemical, Biological & Radiological
CCTV	Closed Circuit Television
CEF	Central Engineering Files
CID	Criminal Investigative Division
CISM	Critical Incident Stress Management
COOP	Continuity of Operations Plan
DEA	Drug Enforcement Administration
ECC	Emergency Communications Center
EMCS	Energy Management Control Systems
EMP	Emergency Management Plan
EOC	Emergency Operations Center
FAA	Federal Aviation Administration
FBI	Federal Bureau of Investigation
FEMA	Federal Emergency Management Agency
FMD	Federal Management Division
HAZMAT	Hazardous Material
HVAC	Heating, Ventilating and Air Conditioning
IC	Incident Commander
ICP	Incident Command Post
ICS	Incident Command System
INWS	Interactive National Weather Service
IS	Independent Study
IT	Information Technology
ITS	Information Technology Services (contractor)
LA	Louisiana
MHP	Mississippi Highway Patrol

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 44 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

MOA	Memorandum of Agreement
MOU	Memorandum of Understanding
MPH	Miles Per Hour
MS	Mississippi
NARA	National Archives and Records Administration
NASA	National Aeronautics and Space Administration
NAVO	Naval Oceanographic Office
NAWAS	National Warning System
NCIS	Naval Criminal Investigative Service
NDBC	National Data Buoy Center
NIMS	National Incident Management System
NOAA	National Oceanic and Atmospheric Administration
NOPS	NASA Organizational Profile System
NPD	NASA Policy Directive
NPR	NASA Procedural Requirements
NRL	Naval Research Laboratory
NRP	National Response Plan
NWS	National Weather Service
OCIO	Office of the Chief Information Officer
OHC	Office of Human Capital
OSHA	Occupational Safety and Health Administration
PA	Public Address
PAO	Public Affairs Officer
SCWI	Stennis Common Work Instruction
SOPs	Standard Operating Procedures
SPD	Stennis Policy Directive
SPLN	Stennis Plan
SPR	Stennis Procedural Requirements
SSC	(John C.) Stennis Space Center
UC	Unified Command

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 45 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Page 45 of 150

APPENDIX B – TRAINING AND EXERCISE PLAN

B.1 Exercises and briefings are coordinated and provided by the Emergency Management Officer or the ICs, or those designated. The following matrix details the requirements and accomplishments of these actions which are tracked in the Center’s Action Tracking System (AcTrak).

Table 3.B - SSC Incident Command System Training and Exercise Requirements Matrix

Requirement	When	Who Receives
Alert and Notification Drill	Quarterly	All members of Incident Command
Test of automated vital records systems	Semi-annual	Designated representatives of SSC Directorates and Offices
COOP Awareness Brief	Annual	All NASA SSC Employees
Disaster Preparedness Brief	Annual	All NASA SSC Employees
Communications Test	Annual	EOC personnel
COOP Training	Annual	Designated COOP personnel and alternate facility sustainment team
National Exercise Program	Quarterly	Selected Incident Command personnel

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 46 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

B.2 The following matrix provides the details for individual training. The Emergency Management Officer will manage the training and report to NASA HQ, as required.

Table 4.B - Individual Certification Training Requirements

Audience	Required Training
Federal/State/Local/Tribal/Private Sector and Non-government personnel to include: Entry-level first responders and disaster workers, emergency medical service personnel, firefighters, hospital staff, law enforcement personnel, public health personnel, public works/utility personnel, skilled support personnel and other emergency management response, and volunteer personnel at all levels. Includes Hurricane Ride-Out Team members.	<ul style="list-style-type: none"> ICS-100: Introduction to ICS or equivalent. * FEMA IS-700: NIMS, an Introduction. ICS 300: Intermediate ICS for Expanding Incidents (based on individual assignment or expected assignment).
Federal/State/Local/Tribal/Private Sector and Non-government personnel to include: First-line supervisors, single resource leaders, field supervisors, and other emergency management/response personnel that require a higher level of ICS/NIMS training. This includes Center security force and fire rescue supervisors.	<ul style="list-style-type: none"> ICS-100: Introduction to ICS or equivalent. ICS-200: Basic ICS or equivalent. * FEMA IS-700: NIMS, an Introduction. ICS 300: Intermediate ICS for Expanding Incidents (based on individual assignment or expected assignment). Position-specific ICS course (based on individual assignment or expected assignment).
Federal/State/Local/Tribal/Private Sector and Non-government personnel to include: <u>Required:</u> Mid-level management including strike team leaders, task force leaders, unit leaders, division/group supervisors, branch directors, and emergency operations Center staff.	<ul style="list-style-type: none"> ICS-100: Introduction to ICS or equivalent. ICS-200: Basic ICS or equivalent. * FEMA IS-700: NIMS, an Introduction. ICS 300: Intermediate ICS for Expanding Incidents (based on individual assignment or expected assignment). ICS 400: Advanced ICS (based on individual assignment or expected assignment). FEMA IS-800.B: National Response Framework (NRF), an Introduction. FEMA IS-775: EOC Management & Operations G 191 ICS Interface (exercise based training) recommended. Position-specific ICS course (based on individual assignment or expected assignment).

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 47 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Federal/State/Local/Tribal/Private Sector and Non-government personnel to include:	<ul style="list-style-type: none"> • ICS-100: Introduction to ICS or equivalent. • ICS-200: Basic ICS or equivalent. • * FEMA IS-700: NIMS, an Introduction. • ICS 300: Intermediate ICS for Expanding Incidents (based on individual assignment or expected assignment). • ICS 400: Advanced ICS (based on individual assignment or expected assignment). • FEMA IS-701: NIMS, Multi-agency Coordination System (MACS). • FEMA IS-706: NIMS Intrastate Mutual Aid – An Introduction. • FEMA IS-775: EOC Management and Operations. • FEMA IS-800.B: National Response Framework (NRF), an Introduction. • G-402: ICS Overview for Executives and Senior Managers. • IS-081 to IS-814 for Emergency Support Functions appropriate to their responsibilities. <p>Position-specific ICS course (based on individual assignment or expected assignment).</p>
<p><u>Required:</u> Command and general staff, select department heads with multi-agency coordination system responsibilities, area commanders, emergency managers, emergency operations center managers, and Center personnel responsible for participating with mutual aid partners like joint base operations or fellow tenants. Agency Executives and Senior Managers with authority, responsibilities, or oversight over response and support of operations during an emergency.</p>	

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 48 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

APPENDIX C – TRAFFIC FLOW PLAN

C.1 Purpose

Disaster and/or emergency conditions may necessitate the redirection of traffic at SSC. All Incident Command structure personnel must be familiar with the elements of the traffic flow plan to ensure rapid and effective execution when required.

The following SSC key personnel and/or SSC contractor personnel will be involved in the coordination of this plan:

- SSC Emergency Management Officer
- SSC IC
- SSC Fire Chief
- SSC Security
- Contract Emergency Management Coordinator

C.2 Concept of Operations

Signage will be utilized to direct traffic flow as outlined below:

a. Evacuation Route Signs

1. Standard, pre-manufactured signs that provide direction for hurricane evacuation routes.
2. Evacuation route mobile signs are to be maintained by the electric shop and will be readily accessible. The minimum number of signs to be employed is four.
3. Anticipated sign placement locations:
 - (a) Trent Lott Parkway north of Bascule Bridge on Trent Lott Parkway.
 - (b) Trent Lott Parkway south of Road “J”.
 - (c) Trent Lott Parkway south of Leonard Kimble Road.
 - (d) Trent Lott Parkway at the North Gate.

b. Electronic Message Boards

1. Electronic message boards will provide SSC traffic information.
2. Anticipated placement:
 - (a) South Gate on Trent Lott Parkway.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 49 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

- (b) South of Road “H”.
- (c) North of Saturn Drive on Trent Lott Parkway.
- (d) North Gate, facing north along Trent Lott Parkway.

c. 36” Reflective Traffic Cones

1. Will be used to delineate traffic patterns as required.
2. Security will notify the contracted support to have cones delivered to Building 8000.
3. Anticipated placement:
 - (a) East of Trent Lott Parkway on Old Highway 43, north of the Bascule Bridge.
 - (b) Road “H” east of Trent Lott Parkway and all turn lanes.
 - (c) Road “H” west of Trent Lott Parkway and all turn lanes.
 - (d) Saturn Drive east of Trent Lott Parkway and all turn lanes.
 - (e) Entrance to Building 8100.
 - (f) Upper Gainesville Road west of Trent Lott Parkway.
 - (g) Gravel Pit Road west of Trent Lott Parkway.
 - (h) Moses Cook Road east of Trent Lott Parkway (if required).
 - (i) Additional locations as required by the situation.

C.3 Responsibilities

The Contrated Emergency Management Coordinator is responsible for:

- a. Coordinating with the SSC Emergency Management Officer.
- b. Requesting the services of additional Emergency Team members if required.
- c. Submitting to the SSC Emergency Management Officer or Incident Command (if designated) report of the traffic flow plan execution.

C.4 Definitions

See Appendix A.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 50 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

APPENDIX D – SEVERE WEATHER PLAN

D.1 Purpose

Tornadoes and severe weather conditions occur at SSC and surrounding Gulf Coast communities with sufficient frequency that a system to provide warning of an actual threat to all employees is necessary. This plan establishes the self-protection measures that can be taken when a warning has been received. Because of the time factor involved, little can be accomplished after a warning has been received to minimize damage to government property. Therefore, all SSC managers/supervisors have a standing responsibility to ensure that their respective outside work areas remain clean and secure. Past experiences have revealed that the greatest frequency of tornadoes occurring along the Mississippi Gulf Coast take place from October to March, however, tornadoes are often associated with hurricanes and have been known to occur at any time throughout the year. Some severe thunderstorms can be seen approaching, while others hit without warning. Where there are thunderstorms, there is the possibility of being struck by lightning. High winds, rainfall, and cloud cover often precede actual cloud-to-ground strikes notifying individuals to take action. Many lightning casualties occur in the beginning, as the storm approaches, because people ignore these precursors. Also, many lightning casualties occur after the perceived threat has passed. Generally, the lightning threat diminishes with time after the last threat of thunder, but may persist for more than 30 minutes. When thunderstorms are in the area but not overhead, the lightning threat can exist even when it is sunny, not raining or when clear sky is visible.

The following SSC key personnel and/or SSC contractor personnel will be involved in the implementation of this plan:

- SSC Emergency Management Officer
- SSC Protective Services Contractor Dispatcher

D.2 Concept of Operations

a. Tornado Watch, Tornado Warning, Thunderstorm Warning, and All Clear messages are issued by the Security Dispatcher when informed by the Interactive National Weather Service App (INWS), Weather Radio or the Lightning Detection System.

b. If a Tornado Watch, Tornado Warning, Hail Warning or Thunderstorm Warning is issued by INWS, Storm Spotters will be notified to be on the lookout for severe weather activity and to report any sightings to the Security Dispatcher via 911 (or 228-688-3636 if using a cell phone).

c. Local tornado and hail sightings, along with any damage reports, will either be reported to the Security Dispatcher by the Storm Spotters or other site personnel via the site 911 service (dial 228-688-3636 if using a cell phone). The Security Dispatcher, in turn, should contact the

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 51 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

National Weather Service (NWS) as soon as possible (near real time) with sightings and damage reports from the field.

D.3 Responsibilities

D.3.1 Protective Services Dispatcher (SSC Protective Services Contract)

a. The Protective Services Dispatcher is authorized to inform installation personnel of all warnings according to the following guidelines.

b. Tornado Warning – Upon notification from INWS, the Outdoor Emergency Notification System will be activated by the dispatcher to provide the following announcement via the outdoor speakers, the site-wide radio system, the connected public address (PA) systems, NASA and emergency personnel emails as well as push notification to the site status application:

“(Wail Alert Tone) Tornado warning. A tornado warning has been issued for this area.”

SSC personnel are to take cover on the lowest level of the building in an interior hallway, closet, or small room, away from windows.

When the warning is lifted, the following announcement shall be provided in the manner outlined above:

“Attention: The emergency is over. I repeat. The emergency is over. Resume your normal duties.”

c. Lightning Alert - The SSC Lightning Detection System will be available 24 hours a day, 7 days a week at the SSC Protective Services dispatch office. The system will be maintained as a “critical system”. When potential or actual lightning activity has been detected within a 10 mile radius of SSC, SSC Protective Services dispatch will issue an action per the following chart:

Condition	Action Level
Lightning within 10 miles of SSC, but not within 5 miles	“Lightning Advisory”
Lightning indicated within 5 miles of SSC	“Lightning Warning”
Lightning has moved past 5 miles for at least 15 minutes, but is still within 10 miles of SSC	“Lightning Advisory”
Lightning has moved past 10 miles of SSC for 15 minutes	“All Clear”

Immediately issue the alerts, in order, as listed below:

1. Upon detection of lightning within the affected area, SSC Protective Services Dispatcher will take the following actions using the automated announcements as found in the CentrAlert system (or read manually if the system is down):

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 52 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

- (a) Issue proper action level on all radio frequencies.
- (b) Issue proper action level over all connected PA systems.
- (c) Place a telephone call to the Wellness Center informing them of action level.
- (d) Place a telephone call to the Child Care Center informing them of action level.
- (e) Send outdoor speaker announcement to the propulsion test area only for lightning advisories and site-wide for lightning warnings. All clear announcements will be sent to the same distribution.
- (f) Place a notation in the dispatcher Log stating date, time, and action level and indicating a positive or negative response to all phone calls.

2. The announcements will state the following:

- (a) For Lightning Advisory: “(SSC Alert Tone) Attention all personnel. A lightning advisory has been issued for the Stennis Space Center. A lightning advisory means conditions exist that indicate lightning is possible for this location. Personnel should monitor conditions and be prepared to take protective measures if required.”
- (b) For Lightning Warning: “(SSC Alert Tone) Attention all personnel. A lightning warning has been issued for the Stennis Space Center. A lightning warning means lightning, or the potential for lightning has been detected within 5 miles of the Stennis Space Center. All personnel shall immediately secure outside activities and take shelter in a secure location.”
- (c) For All Clear: “(SSC Alert Tone) Attention all personnel. All clear. All lightning advisories and lightning warnings have been cancelled for SSC.”

d. Other Alerts and Warnings - Other automated or read announcements concerning severe thunderstorms, monthly system tests, and evacuation orders are also available on the system and shall be executed based upon need. At this time, severe thunderstorm warnings and tornado warnings are not issued automatically but may be in the future depending on requirements issued by center safety and emergency personnel.

D.3.2 SSC Personnel

All SSC personnel are expected to be responsive to the potential danger tornado and severe weather conditions warrant. They should remain alert to local weather conditions and be prepared to take self-protection measures as appropriate. Self-protection and property protection measures are mandatory immediately upon sounding of the site-wide alarm.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 53 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

D.4 General Information for all SSC Personnel

D.4.1 No buildings on the SSC can be considered entirely safe from destruction by a tornado; however, some buildings will provide protection from flying debris and should be used in lieu of fewer substantial buildings. Buildings with wide, free-span roofs should be avoided. The first floor of multi-story buildings should be used if possible. Persons in vehicles should leave the vehicle and seek appropriate shelter.

D.4.2 The following actions should be taken by SSC employees upon notice of an approaching tornado:

- a. Take cover in an interior hallway, closet or small room, away from windows.
- b. If in the open and a building cannot be reached, take one of the following actions depending upon the time available:
 - 1. Move away from the tornado's path at a right angle.
 - 2. Move to the leeward side of a pile of earth or a gravel pile.
 - 3. If there is not enough time to take shelter or escape, lie flat in the nearest ditch.

D.4.3 The following actions should be taken by SSC employees upon notice of a lightning alert:

- a. If outdoors, avoid water, high ground and open spaces. Avoid all metal objects including electric wires, fences, machinery, motors, power tools, etc. Unsafe places include underneath canopies, small picnic or rain shelters, or near trees. If lightning is striking nearby when you are outside, crouch down, put feet together, and place hands over ears to minimize hearing damage from thunder. Do not lie flat on the ground or place your hands on the ground.
- b. If indoors, stay away from doors and windows, and do not use the telephone.
- c. After taking shelter, personnel should listen for further instructions on the site-wide paging system, portable radio or telephone.

D.5 Definitions

See Appendix A.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 54 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

APPENDIX E – HURRICANE PLAN

E.1 Purpose

This plan will serve as a guide for all SSC employees. The procedures established in this plan will apply from the declaration of Condition IV until the SSC is declared safe for normal work operations.

The following SSC key personnel and/or contractor personnel will be involved in the coordination of this plan:

- SSC Emergency Management Officer
- SSC IC
- Contracted Logistics Services Manager
- SSC Protective Services Contractor Dispatcher
- SSC Emergency Council Members
- Contracted EMCS Operator
- Contracted Emergency Management Coordinator
- Contracted Facilities O&M Manager
- Contracted S&MA
- Contracted Fire Chief or Fire Captain on duty
- Contracted Finance Manager
- Contracted Welding Shop Lead
- Contracted High Voltage Engineer

E.2 Concept of Operations

The IC and other personnel in the Emergency Operations Center will prepare for and implement activities as outlined in this appendix based upon the condition levels declared.

E.2.1 The hurricane condition levels used at Stennis are as follows:

The criteria below provide a wind-based framework for making decisions on hurricane/tropical storm preparedness; however, wind is only one component of the hazards posed by land falling tropical cyclones. Each approaching system should be considered individually and factors such as the following should be considered in addition to wind speeds for determining specific actions and condition level specifications:

Meteorological Factors:

- Speed, size, shape, and direction of approach of storm

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 55 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

- Storm surge levels and anticipated arrival of surge
- Rainfall levels and potential for flooding that could impact travel
- National Hurricane Centers confidence level in the forecasts for track and intensity

State and Local Factors:

- Louisiana and Mississippi evacuation plans and schedules
- Contraflow plans on interstates or across SSC
- Road closures and other transportation issues (e.g., construction work on evacuation or site access roads, flooding blocking roads, etc.)

Protection of the workforce from storm hazards is the primary consideration in decision making related to condition determinations. All storm factors will be evaluated to ensure the safety of personnel leaving the site ahead of the storm and the safety of the members of the ride out crew traveling from their homes to the site.

Hurricane Condition I – declared when the National Weather Service warns that destructive force winds >50 kt/58 mph are expected to reach Stennis Space Center within 12 hours.

Hurricane Condition II – declared when the National Weather Service warns that destructive force winds >50 kt/58 mph are expected to reach Stennis Space Center within 24 hours.

Hurricane Condition III – declared when the National Weather Service warns that destructive force winds >50 kt/58 mph are expected to reach the Stennis Space Center within 48 hours.

Hurricane Condition IV – declared when the National Weather Service warns that destructive force winds >50 kt/58 mph are expected to reach Stennis Space Center within 72 hours.

E.2.2 The hurricane categories as established by the National Weather Service are as follows:

CATEGORY 1

Winds: 74 to 95 mph

Damage: Minimal; signs, unanchored mobile homes, tree branches power lines blown down, some coastal flooding. Central pressure will be 28.94 inches or more and will be accompanied by a 4- to 5-foot storm surge.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 56 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

CATEGORY 2

Winds: 96 to 110 mph

Damage: Moderate; larger signs, roofs, doors, windows, mobile homes, small boats, some flooding, tree branches blown down. Pressure 28.50 to 28.93 inches accompanied by a storm surge of 6 to 8 feet.

CATEGORY 3

Winds: 111 to 129 mph

Damage: Extensive; minor damage to buildings, some walls fail, mobile homes, trees blown down. Flooding washes away smaller coastal structures. Flooding up to 8 miles inland. Pressure 27.91 to 28.49 inches accompanied by a storm surge of 9 to 12 feet.

CATEGORY 4

Winds: 130 to 156 mph

Damage: Extreme; almost total destruction of doors, windows. Some wall and roof failure. Major damage to lower floors of oceanfront buildings. Evacuations up to 6 miles inland. Pressure 27.17 to 27.90 inches accompanied by a storm surge of 13 to 18 feet.

CATEGORY 5

Winds: More than 157 mph

Damage: Catastrophic; buildings, roofs, structures destroyed; flooding up to 10 miles inland, evacuation of area. Pressure less than 27.17 inches accompanied by a storm surge higher than 18 feet.

E.2.3 Site Closure/Reopening

- a. After closure of SSC by the Center Director, SSC will remain closed as long as the site is located within a National Weather Service tropical storm or hurricane warning area.
- b. While SSC is closed, gate security will admit only "essential personnel" (as designated by the employee's agency).
- c. After National Weather Service warnings are lifted, the SSC IC will decide when SSC will re-open based on local area damage, highway conditions and damage at SSC.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 57 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

d. To obtain information about re-opening of the site and return to work, staff are requested to, contact their supervisors, view the SSC Site Status App, or call the SSC Emergency Operations Center at 228-688-3777. See Table 5.E for listing of local stations.

E.2.4 Facilities

a. SSC Emergency Operations Center – Building-8000, room 113, extension 8-3777 is the central communications point.

b. The SSC Energy Management and Control Systems (EMCS- Building -8000, Ext. 8-3293 or 8-3381) focuses on coordinating emergency maintenance activities.

E.2.5 Auxiliary Power

Portable and stationary generators will provide auxiliary power per Tables 6.E, 7.E and 8.E. Portable generators shall be staged and connected per Table 6.E on or before June 1 of each year.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 58 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Table 5.E - Local TV/Radio Stations

MISSISSIPPI

Biloxi / Gulfport

WANG (1490AM)
 WGBL (96.7 FM)
 WCPR (97.9 FM)
 WKNN (99.1 FM)
 WGCM (102.3 FM)
 WQBB (105.9 FM)
 WXYK (107.1 FM)
 WZKX (107.9 FM)
 WLOX (CH. 13)

Picayune

WRJW (1320 AM)

Poplarville

WRPM (1530 AM)

LOUISIANA

New Orleans

WWL (870 AM)
 WWL (CH. 4)
 WDSU (CH. 6)
 FOX (CH. 8)

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 59 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Table 6.E - Generators

Portable Generators

FACILITY NUMBER	DESCRIPTION <i>Setup for Hurricane Season</i>	PRESTOR M START	TRANSF ER SWITCH Y/N	GENERA TOR NUMBER	GENER ATOR SIZE (kW)	VOLTA GE	ROTA TE
1020	Ocean Science Lab - Lift Sta. 73	Yes	Yes	5100606	150	480	CCW
1032	Lift Station 72	Yes	Yes	5100613	100	277/480	CCW
1200	Sumps/Lift Station*	Yes	No	5100603	150	480	CCW
2105 (1)	Fuel Dock	Staged	In Work	110-290	145	208	CW
2105 (2)	Lift Station #2	Yes	Yes	5100617	175	480	CW
2312A	Potable Water Pumps-3 way	Staged	Yes	5100612	100	480	CW
3305	Lift Station #8	Yes	Yes	5100619	45	480	CCW
3312A	Potable Water Pumps-4 way	Staged	Yes	110-283	70	480	CCW
4050	E1 - Lift Station 18	Yes	Yes	5100620	75	120/208	CW
9300 / 9313	Lift Station #3	Yes	Yes	5100593	75	277/480	CW
9355	Lift Station (has natural gas gen.)			0983247	125	UNK	
9500	Security system on Bunkers	Staged	SBU Responsible				
2411	Cypress House	Staged	TBD	5100614	250	208	CCW
4202	Lift Station #11	Yes	Yes	110-282	45	480	CCW
Spares / Location							
Spare 9114				110-223	60		
Spare 9114				110-247	100		
Spare 9114				110-281	45		
Spare 9114				110-284	125		
Spare 9114				110-291	145		

Additional Information

FACILITY NUMBER	GENERATOR NUMBER	BREAKER SIZE	CONDUCTOR SIZE	DAY TANK CAPACITY (Gallons)	FUEL CONSUMPTION @ FLA	RUN TIME @ FLA (hrs)
1020	5100606	100a disc – 3w	#2 – 100 ft.	343	8.7	39.4
1032	5100613			146	6	24.3
1200	5100603	50a	#6 – 20 ft.	343	8.7	39.4
2105 (1)	110-290	60a disc – 3w	30 ft.	343	10.04	34.2
2105 (2)	5100617	200a disc – 3w	#2 – 100 ft.	146	6	24.3
2312A	5100612	60a disc – 3w	#8 – 30 ft.	90	3.3	27.3
3305	5100619	200a disc – 3w	1/0 – 20 ft.	91.6	4.4	20.8
3312A	110-283	30a disc – 3w	#12 – 25ft			
4050	5100620	3w	Up to 500 kcmil	146	4.9	29.8
9300 / 9313	5100593			146	4.9	29.8
9355	0983247			N/A	N/A	N/A
9500	SBU Responsible					
2411	5100614			343	13.9	24.7
4202	110-282			59	2.93	20.1
Spares / Location						
Spare 9114	110-223			71	8.4	8.5
Spare 9114	110-247			91	8.5	10.7
Spare 9114	110-281			72	2.93	24.6
Spare 9114	110-284			63	9	7
Spare 9114	110-291			79.5	3.5	22.7

Table is for reference only. Verify correct with contracted electrical shop before use

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 60 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Fixed Generators

FACILITY NUMBER	GENERATOR MANUFACTURER	FUEL TYPE	ASSET NUMBER	SIZE	NOTES
1021	KOHLER	BI-FUEL	110346	400KW	
1022	CATERPILLAR	DIESEL	973381	350KW	
1029	GENERAC	DIESEL	981616	200KW	
1100	CUMMINS	BI-FUEL	110-309	800KW	
1100	CUMMINS	BI-FUEL	110-327	800KW	
1100	CUMMINS	BI-FUEL	110-328	800KW	
1111	KOHLER	DIESEL	977474	750KW	HPS PERFORMS MAINTENANCE
1200	GENERAC	DIESEL	974853	10KW	Only serves fan for stairway pressurization
1201	CATERPILLAR	DIESEL	110-40	300KW	
1201	CUMMINS	BI-FUEL	110-330	500KW	
1204	CUMMINS	NAT GAS	72	50KW	
2201	KOHLER	DIESEL	975752	300KW	
2204	KOHLER	DIESEL	975752	300KW	
3204	KOHLER	BI-FUEL	110-335	300KW	
3305	KOHLER	DIESEL	987278	1780 KW	
3418	KOHLER	DIESEL	976222	200KW	
4400	Cooper-Bessemer	DIESEL	940902	1500KW	
4400	Cooper-Bessemer	DIESEL	940906	1500KW	
4400	Cooper-Bessemer	DIESEL	940904	1500KW	
4400	Cooper-Bessemer	DIESEL	940908	1500KW	
8000	CATERPILLAR	BI-FUEL	977680	600KW	
8000	CATERPILLAR	BI-FUEL	977681	600KW	
8100	GENERAC	NAT GAS	976785	150KW	
9101	CUMMINS	NAT GAS	35094	100KW	AEROJET, FRONT SIDE
9101	BALDOR	NAT GAS	110334	130KW	AEROJET, BACK SIDE
9101	KOHLER	NAT GAS	303129	400KW	GPO
9110	CUMMINS	NAT GAS	110-331	250KW	
9114	CUMMINS	BI-FUEL	110-332	400KW	
9121	KOHLER	DIESEL	982809	100KW	
9155	ONSITE ENERGY	NAT GAS	984833	400KW	

Table is for reference only. Verify correct with contracted electrical shop before use

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 61 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Table 7.E - Critical Infrastructure

FACILITY NR	FUNCTION	RESPONSIBILITY	PRIORITY
1000 Complex	NAVO Data Center	Navy	Priority 1
1100	NASA SSC HQ	NASA	Priority 1
1201	ACES/ITS/NICS	NASA	Priority 1
2603	SBT22 HQ	Navy	Priority 1
3203	Server/Data Center	NDBC	Priority 1
3207/8102	Lagoons/Sanitary Waste	NASA	Priority 1
3305	High Pressure Gas	NASA	Priority 1
3418	Cryogenic Control Center	NASA	Priority 1
4400	Test Area Power/Fuel	NASA	Priority 1
8000	Emergency Operations Center	NASA	Priority 1
9101	Government Publishing Office	GPO	Priority 1
9114	Facility Maintenance	NASA	Priority 1
9123A/9155	Well House/Sanitary Waste	NASA	Priority 1
9325 Complex	NCCIPS Data Center	NCCIPS	Priority 1
9357	POP/ACES/ITS/NICS	NCCIPS	Priority 1
2124	NEX Station	TBD	TBD
1005	Marine Geosciences	NRL	Priority 2
1009	Ocean Sciences	NRL	Priority 2
1021	Mississippi State	MSU	Priority 2
1022	USM Lab Building	USM	Priority 2
1029	USM Oceanographic Support	USM	Priority 2
1111	NASA Shared Services Center	NASA	Priority 2
2312A/3312A	Well House	NASA	Priority 2
3204	NASA Records Retention	NASA	Priority 2
3205/3206	Server Room/Lab	NDBC	Priority 2
4210	Building Test Control	NASA	Priority 2
4220	B1 Test Stand	NASA	Priority 2
9121	ITS Data Center	NASA	Priority 2

Priority 1 – Supports critical infrastructure. Priority to maintain and fuel.

Priority 2- Supports non-critical infrastructure, will be maintained as resources are available.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 62 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Table 8.E - Emergency Power Connection Procedure (Building -2203)

POWER REQUIREMENTS	CONNECTION INSTRUCTIONS
Building 2203, CO2 SYSTEM	
GEN: 30KW WIRE: 12/5 CABLE VOLT: 208 3 PHASES	<ol style="list-style-type: none"> 1. EMERGENCY POWER CONNECTION IS TO BE MADE AT DISCONNECT SWITCH FOR CO2 SYSTEM. 2. TURN OFF DISCONNECT THAT FEEDS CO2 SYSTEM. 3 ARRANGE FOR ACCESS TO OFFICE AREA AND PANEL "LG". 4. TURN OFF 3 PHASE BREAKER #9-11-13 IN PANEL #LG, LOCK AND TAG. 5. DISCONNECT LINE SIDE OF CO2, DISCONNECT AND TAPE LEADS. 6. HOOK UP GENERATOR LEADS TO LINE SIDE OF CO2 DISCONNECT, CONNECT GROUND-TO-GROUND ROD. 7. OPEN DISCONNECT ON GENERATOR, START GENERATOR, CHECK FOR PROPER OUTPUT VOLTAGE, IF CORRECT, CLOSE DISCONNECT, CHECK PHASE ROTATION AT CO2 DISCONNECT, IF CORRECT, CLOSE CO2 DISCONNECT.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 63 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

E.2.6 Hurricane Resistant Facilities

Hurricane resistant facilities may be provided for the Emergency Response Team.

E.2.7 Docks and Vessels

a. U. S. Government vessels will be given first priority for mooring space. Government vessels arriving for refuge 24 hours before gale force winds are expected will be allowed to stay below the navigation lock until all government vessels have arrived so as to limit the amount of navigation lock and bascule bridge openings. The navigation lock will then be opened up to allow permitted vessels to enter and be locked up. Once inside the navigation lock, they will be given directions to dock space located by Building 3201 for refuge. Bascule Bridge will not be operated with winds in excess of 30 mph. No vessel will be allowed to stay in navigation lock or tie to lower navigation lock lower wall during a storm. Personal flotation devices (life jackets) will be worn when crew members are on deck or outside their cabin. (SWI-8830-0001, Canal System and Dock Facilities, should be referenced for permitting process)

b. If the projected hurricane intensity is at least a Category 4 (130 mph winds) private vessels may be authorized safe harbor along the water ways around SSC below the navigation lock (see below image). This policy is valid only when the center is at normal threat/force protection condition (FPCON). If the center is at an elevated threat level/FPCON, all access will be denied. For authorization to be considered, the Director of the Mississippi Commercial Fisheries United, Inc., must telephone the SSC EOC (228-688-3777) to request safe harbor. Mississippi Commercial Fisheries United, Inc. must register the authorized representative with the SSC Emergency Management Officer or the IC. Mississippi Commercial Fisheries United, is responsible for briefing its members and others who may seek safe harbor at SSC and is responsible for their adherence to these rules. Vessels will be permitted to seek shelter in a designated area below the construction dock area. Crew members will not be allowed to exit their vessels without having an escort from a SSC Protective Services representative or a representative of the Mississippi Commercial Fisheries United. Personal flotation devices (life jackets) will be worn when crew members are on deck or outside their cabin.

c. Anchor space will be made available on a "first-come" basis, whether or not a member of Mississippi Commercial Fisheries United, Inc.

d. Federal Government owned vessels will be permitted to muster in the construction dock area below the lock until the National Weather Service determines that hurricane landfall is expected within 24 hours. The lock and Bascule Bridge will be periodically operated to allow access until 12 hours prior to predicted landfall. After that time, vessels must remain below the lock. The Bascule Bridge will not be operated with winds in excess of 30 mph.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 64 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

e. These vessels will not block canals. Personal flotation devices (life jackets) will be worn in the navigation lock and canal system. No fuel in containers will be permitted on boat decks.

f. Boat owners/captains are responsible for properly anchoring/docking and securing their vessels in order to prevent injuries and to prevent damage to other vessels and/or government property. Boat owners are responsible for damage or injury that may result from this activity, including damage to private or government property. Each boat owner must agree to relieve the government of any liability thereof and to hold the government, NASA, and its contractors, employees and agents harmless for any damage or injury that may result. The government assumes no responsibility for damage to boats and/or injuries to persons as a result of this activity (Table 9.E).

g. All vessels must be removed within 24 hours of cessation of hurricane winds or as otherwise directed by the SSC Emergency Management Officer or his/her designee.

h. During both ingress and egress to the canal, road traffic will take precedence with regard to the operation of the Bascule Bridge. The SSC Emergency Management Officer or his/her designee will determine priorities.

i. Other SSC federal/state agencies must take all precautions to ensure that vessels under their jurisdiction are secured.



Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 65 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Table 9.E - Official Notice to Watercraft Owners and Operators

You are hereby notified that a limited number of watercraft may be permitted to seek harbor at SSC due to the National Weather Service's projection that Category 2 hurricane conditions may occur in the local area within the next 24 hours. All watercraft permitted within SSC borders shall become subject to the orders and directions of the NASA/SSC Security Officer effective immediately, without notice. Owners and operators of such watercraft shall be liable to the U.S. Government for all damage caused to federal property. The U. S. Government hereby advises that the SSC site conditions are hazardous to the safety of all watercraft and expressly disclaims any and all liability for damage to such watercraft and personal injuries to its owners, operators and crews. Within 72 hours after hurricane impact, watercraft must be moved to another mooring location outside the SSC canal. All watercraft not promptly removed from the SSC canal after that period shall be removed by the U. S. Government at the expense of the owner or operator thereof.

NASA/SSC Security Officer

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date:	November 1, 2023
	Expiration Date:	November 1, 2028
Page 66 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

E.2.8 Supplies

Sandbags — Call the Contract EMCS (Ext. 8-3381) or trouble desk (Ext. 8-3293) and specify number of sandbags needed, location, and agency. These are used to keep doors under control during high wind. (See Table 10.E.)

E.2.9 Emergency Response Team

The Emergency Response Team will be approved by the Contracted Emergency Management Coordinator, and a copy of the Emergency Response Team list will be maintained in the EMCS/EOC. (See Table 11.E. for minimum staffing requirements)

Table 10.E - Emergency Supplies - Quick Reference

GENERAL PURPOSE

8105-00-285-4744 EA SANDBAG, EMPTY, 50 lbs. Capacity
9390-01-071-5630 RO BARRICADE TAPE ¾"

PERSONAL PROTECTION SUPPLIES

8105-00-N01-0625 BX BAG, TRASH (FOR COVERING COMPUTERS)
8105-01-331-6144 EA SANDBAG, EMPTY 14'X26'
8340-00-N01-2551 EA TARPAULIN, HD, 10'X12'
8340-00-N01-0521EA TARPAULIN, HD, 16'X20'

*Supplies listed above are provided at the requestors' expense.

Table 11.E - Emergency Response Team – Minimum Staffing

High Voltage Linemen	2 Each
Electricians	2 Each
HVAC	2 Each
Plumbers	2 Each
Carpenters	2 Each
Mechanics/Fuel Delivery Drivers	2 Each
Roads & Grounds (General Labor Support)	2 Each
Heavy Equipment Operators	2 Each
EMCS	3 Each
Emergency Management Coordinator	1 Each
High Voltage Engineer	1 Each
Facilities O&M Manager	1 Each

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 67 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Environmental	1 Each
Safety	1 Each
Water Treatment	2 Each
Management/Engineering	1 Each
Cryogenic Storage Facility	2 Each
High Pressure Gas Facility	2 Each
High Pressure Water Facility	2 Each

Numbers and skills subject to change per decision of Incident Commander (IC) or Emergency Management Officer. Contractor fire and protective services personnel are also on Emergency Response Team but are not included in list above.

E.3 Responsibilities

The minimum tasks assigned to various personnel at SSC are listed below. These personnel should also perform any other tasks that could prevent injury to personnel or loss of equipment or damage to facilities.

E.3.1 SSC IC

The IC will operate from the EOC in Room 113, Building 8000. The IC is responsible for announcing SSC Hurricane Condition status to all onsite agencies and notifies the NASA Duty Officer (202-358-0006) and NASA Headquarters Emergency Operations Center (202-358-0589) immediately after declaring a warning condition.

E.3.2 Emergency Management Coordinator

The Emergency Management Coordinator will:

- a. Work under the direction of the SSC Emergency Management Officer and SSC IC.
- b. Responsibilities include:
 1. Implementing the Hurricane Plan (this appendix).
 2. Coordinating employee activities relating to a hurricane emergency at SSC.
 3. Providing site readiness information to the SSC Emergency Management Officer and SSC IC.
 4. Providing Contract employees and equipment to assist other SSC organizations as directed by the SSC Emergency Management Officer.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 68 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

5. Maintaining a log of events in a sequential order as they occur.
6. Submitting a request to the SSC Emergency Management Officer if additional staffing or equipment beyond the capabilities of the Contract is needed.
7. Reporting all serious injuries or fatalities to the SSC Emergency Management Officer.
8. Requesting a Contract charge code to position mobile generators only, to begin no later than June 1st of each year.

c. At Condition IV (72 hours to landfall) the coordinator will:

1. Notify the Security Dispatcher of the declaration of Condition IV and arrange for the receipt of weather advisories.
2. Establish the SSC Emergency Operations Center in Building 8000 and issue a "Watch List" to ensure that the center is staffed as required.
3. Initiate the Emergency Operations Center log.
4. Initiate the hurricane tracking chart and log.
5. Ensure that all portable transceivers are charged and that all radios are available in the Emergency Operations Center as soon as condition III is declared.

d. At Condition III (48 hours to landfall) the coordinator will:

1. Notify the Protective Services Dispatcher of the declaration of Condition III.
2. Obtain site status report from the Contract Safety Office.
3. Verify a list of members assigned to the Emergency Response Team from Facilities O&M Manager.
4. Establish and maintain a critical items status board.
5. Issue radios, hand receipt required.

e. At Condition II (24 hours to landfall) the coordinator will:

1. Notify the Protective Services Dispatcher of the declaration of Condition II.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 69 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

2. Notify management to release all non-essential personnel.

3. Perform final site survey for unacceptable conditions.

f. At Condition I (12 hours to landfall) the coordinator will:

1. Notify the Protective Services Dispatcher of the declaration of Condition I.

2. Submit a facility readiness status report to the SSC Emergency Management Officer and SSC IC.

3. Ensure generators are operating at Building 8000 Emergency Operations Center.

g. Post-hurricane the coordinator will:

1. Provide SSC Emergency Management Officer with an estimate of damage to facilities and equipment within eight hours.

2. As necessary, submit a comprehensive follow-up report and supporting photographs within 72 hours.

3. Distribute findings according to the direction of the SSC Emergency Management Officer.

4. Release Emergency Response Team.

E.3.3 Emergency Team Leader(s)

Emergency Team Leaders will:

a. At Condition IV (72 hours):

1. Verify Contract Emergency Response Team list and provide update to Facilities O&M Manager.

2. Assemble Emergency Response Team and hold briefing.

3. Oversee Contract crew hurricane preparations.

b. At Condition III (48 hours):

1. Provide oversight and direction to Contract crews during hurricane preparation.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 70 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

2. Report hurricane preparation progress to the Facilities O&M Manager.

c. At Condition II (24 hours):

1. Provide oversight and direction to Contract crews.
2. Report work status to the EOC hourly.

d. At Condition I (12 hours):

1. Assign tasks and direct final hurricane preparations with Emergency Response Team crews.
2. Provide personnel to respond to work request from EOC and EMCS.

e. Post-Hurricane – Provide direction to Contract work crews to return to SSC to repair and cleanup damage caused by the hurricane.

E.3.4 Facilities O&M Manager

The Facilities O&M Manager will:

a. At Condition IV (72 hours):

1. Establish/staff the radio console in the SSC Emergency Operations Center as required.
2. Establish EOC/EMCS personnel schedule as required.
3. Use all available resources for obtaining hurricane information to maintain a hurricane-tracking chart with related weather information.
4. Contact key employees and keep them posted on any significant change in hurricane status.
5. Inform the Emergency Team Coordinators for SSC Agency Activities of current events as directed by the Emergency Management Coordinator.
6. Receive and coordinate requests for assistance in completing hurricane preparations.
7. Report site readiness to the SSC/Contract Emergency Management Coordinator.
8. Ensure that the Condition IV checklist in Table 12.E is completed and report that completion to the Emergency Management Coordinator.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 71 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

9. Update SSC site status on SSC websites.

b. At Condition III (48 hours):

1. Establish/staff console in the SSC Emergency Operations Center as required.
2. Establish EOC/EMCS personnel schedule as required.
3. Ensure that the Condition III checklists in Table 13.E have been completed and report that completion to the Emergency Management Coordinator.
4. Update SSC site status on SSC websites.

c. At Condition II (24 hours):

1. Staff the console in the SSC Emergency Operations Center.
2. Coordinate final hurricane preparations and site readiness status.
3. Verify that Emergency Response Team are ready and that adequate communication arrangements have been made.
4. Receive requests for additional manpower and equipment.
5. Keep the Emergency Management Coordinator current on all events that occur.
6. Maintain communications with the Emergency Response Team and provide assistance to all locations as directed by the Emergency Management Coordinator.
7. Perform radio checks with Emergency Response Team to verify communications.
8. Ensure that Condition II checklist in Table 14.E has been completed and report that completion to the Emergency Management Coordinator.
9. Update SSC site status on SSC websites.

d. At Condition I (12 hours):

1. Staff console in the SSC Emergency Operations Center.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 72 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

2. Ensure that the Condition I checklist in Table 15.E has been completed and report that completion to the Emergency Management Coordinator.

3. Perform radio communication check with designated key personnel such as, stand-by crews, and Emergency Response Team, many of whom will be offsite during the actual storm.

4. Update SSC site status on SSC websites.

e. Post Hurricane - Initiate a Post Hurricane Damage Survey (usually conducted by those who remained onsite in the EOC, such as the personnel with the fire department who are trained in NIMS and report the findings to the Emergency Management Coordinator within 24 hours after the "All Clear" has been announced).

E.3.5 Facility Manager

The Facility Manager will:

a. At Condition IV (72 hours):

1. Survey exterior of building and secure all loose material, report findings to Contract EMCS (Ext. 8-3381 or Ext. 8-3293) to be forwarded to emergency team leader.

2. Survey roof of building if accessible. Secure loose material.

b. At Condition III (48 hours):

1. Remove all material away from window and door areas.

2. Obtain plastic bags and tape for use in protecting critical equipment from the entrance of Building 1200.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 73 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Table 12.E - Emergency Operations Center Condition IV Checklist (72 Hours)

STORM NAME: _____

CONDITION IV DECLARED BY: _____

DATE: _____ TIME: _____ CONSOLE OPERATOR: _____

TIME COMPLETED

- _____ Establish the Emergency Operations Center
- _____ Contact the Protective Services Dispatcher and instruct him/her to make the appropriate announcements. Instruct him/her to also advise Shift Captain and Fire Chief/Fire Captain on duty (X8-3636)
- _____ Initiate the Emergency Operations Center log and the hurricane Tracking chart and log.
- _____ Notify Contract Safety to conduct site wide survey for loose equipment and materials and send to each custodian. (Contract Safety Office, X8-2557)
- _____ Contract Emergency Coordinator will have work order issued for labor and materials.
- _____ Notify management/supervisory personnel to ensure that all government vehicles are refueled at the end of each shift. (x8-1147 Vehicle distribution list)
- _____ Notify Facility Managers to initiate preparatory actions by identifying any items that require securing and report to EMCS at X8-3381.
- _____ Direct all tenants to fuel all government vehicles.
- _____ Building 4400 diesel fuel tanks are “topped off” if program requirement dictates. X8-2352
- _____ Place commercial fisherman signs out on land near roads and grounds building
- _____ Notify the NASA/SSC Emergency Management Officer as to compliance with the above requirements.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
		Page 74 of 150
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Condition IV Checklist Items completed: Date & Time _____

Signature _____
Emergency Console Operator

Emergency Management Coordinator notified: Date & time: _____

Condition IV Terminated: Date & Time: _____
Condition Declared: All Clear _____ or Condition III _____

Declared by: _____

NOTE: All condition checklists must be followed through completely regardless of condition change unless, because of the uniqueness of the approaching storm, conditions warrant modification of checklist. Any real-time modifications to checklist must be approved by the NASA Emergency Management Officer.

Remarks:

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 75 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Table 13.E - Emergency Operations Center Condition III Checklist (48 Hours)

STORM NAME: _____ CONDITION III DECLARED BY: _____

DATE: _____ TIME: _____ CONSOLE OPERATOR: _____

TIME COMPLETED: _____

_____ Upon notification that SSC is in Condition III contact the Protective Services Dispatcher and instruct him/her to make the appropriate announcements. Instruct him/her to also advise Shift Captain and Fire Chief/Fire Captain on duty. (X8-3636)

_____ Notify Facility Managers to obtain plastic and tape for covering critical equipment and computers from the entrance of Building 1200.

_____ Obtain a list of members assigned to the Emergency Response Team and send to Emergency Management Officer.

_____ Contact EMCS and request a report when all small and large craft have been lifted out of the water and/or are secured with adequate mooring lines.

_____ Receive report from EMCS that all EOC equipment is serviced and in an operable condition.

_____ Advise Redistribution to close yard and begin securing material. (X8-1363)

_____ Ensure that NASA/SSC Emergency Management Officer is informed as to compliance with the above requirements.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
		Page 76 of 150
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Condition III Checklist Items completed: Date & Time _____

Signature _____
EOC Console Operator

Emergency Management Coordinator notified: Date & Time: _____

Condition III Terminated:

Date & Time: _____

Condition Declared: All Clear _____ or Condition II _____

Declared by: _____

NOTE: All condition checklists must be followed through completely regardless of condition change unless, because of the uniqueness of the approaching storm, conditions warrant modification of checklist. Any real-time modifications to checklist must be approved by the NASA Emergency Management Officer.

Remarks:

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 77 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Table 14.E - Emergency Operations Center Condition II Checklist (24 Hours)

STORM NAME: _____ CONDITION II DECLARED BY: _____

DATE: _____ TIME: _____ CONSOLE OPERATOR: _____

TIME COMPLETED: _____

_____ Notify the Protective Services Dispatcher that the SSC is in Hurricane Condition II and instruct them to make the appropriate announcements. Instruct him/her to also advise Shift Captain and Fire Chief/Fire Captain on duty. (X8-3636)

_____ Contact EMCS and obtain a list of all employees that are actually engaged in work operations.

_____ Notify management to inform all personnel to unplug/disconnect all electrical equipment and release non-essential personnel.

_____ Perform radio checks with Emergency Response Team to verify radio communications.

_____ Notify Management to relocate all government vehicles away from trailer, trees, power lines or other potentially hazardous structures.

_____ Notify EMCS and emergency personnel of the current satellite phone numbers.

_____ Verify that all emergency generators are in place.

_____ Ensure power is Disconnect to H-1/Riverfront/North Gate area. Building 2411 (Cypress House) to be placed on generator power.

_____ Ensure that the NASA/SSC Emergency Management Officer is informed when all of the above is complied with.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
		Page 78 of 150
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Condition II Checklist Items completed: Date & Time _____

Signature _____
EOC Console Operator

Emergency Management Coordinator notified: Date & Time: _____

Condition II Terminated: Date & Time: _____

Condition Declared: All Clear _____ or Condition I _____

Declared by: _____

NOTE: All condition checklists must be followed through completely regardless of condition change unless, because of the uniqueness of the approaching storm, conditions warrant modification of checklist. Any real-time modifications to checklist must be approved by the NASA Emergency Management Officer.

Remarks:

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 79 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Table 15.E - Emergency Operations Center Condition I Checklist (12 Hours)

STORM NAME: _____ CONDITION I DECLARED BY: _____

DATE: _____ TIME: _____ CONSOLE OPERATOR: _____

TIME COMPLETED: _____

_____ Notify the Protective Services Dispatcher that the SSC is in Hurricane Condition I and instruct him/her to make the appropriate announcements. Instruct him to also advise Shift Captain and Fire Chief/Fire Captain on duty. (X8-3636)

_____ Notify management to release personnel that are not scheduled to remain at the SSC during the hurricane.

_____ Verify that all emergency supplies have been issued to all personnel remaining on duty.

_____ Verify that all electrical equipment and machines have been disconnected from electrical outlets.

_____ Secure revolving door and sliding doors at Building 1100.

_____ Verify that elevators in the following Buildings 1021, 1100, 1103, 1111, 1200, 3203, 4120, 4122, 4220, 8000 and 8100 are shut down 4 hours before hurricane winds will arrive.

_____ Determine the status of the hurricane preparations and submit a readiness facility status report to the NASA/SSC Emergency Management Officer.

_____ Ensure that all motor vehicles have been fueled.

_____ Perform radio communication check with designated key personnel such as stand-by crews, Emergency Response Teams and the EMCS many of whom will be offsite during the actual tropical storm or hurricane.

_____ Ensure generators are providing power at Building 1100 and Building 8000.

_____ Notify Procurement Officer (PO) when site is to close except for personnel remaining on duty in order for PO to officially notify contractors of administrative leave.

_____ Notify Chief Financial Officer (CFO) when site is to close except for personnel remaining on duty in order for the CFO to provide proper charge codes to contractor financial managers.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
		Page 80 of 150
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Condition I Checklist Items Completed: Date & Time _____

Signature _____
EOC Console Operator

NASA/SSC Emergency Management Officer Notified: Date & Time:

Hurricane Condition I Terminated: Date & Time: _____

Condition Declared: All Clear _____ or

Condition II _____ or

Condition III _____

Declared by: _____

Authorizing Official _____

NOTE: All condition checklists must be followed through completely regardless of condition change unless, because of the uniqueness of the approaching storm, conditions warrant modification of checklist. Any real-time modifications to checklist must be approved by the NASA Emergency Management Officer.

Remarks:

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 81 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

E.3.6 Protective Services Dispatcher

The Protective Services Dispatcher will:

- a. Pre-warning - Notify SSC Emergency Management Officer of impending hurricane condition.
- b. At Condition IV (72 hours) - Every 2 hours, announce the declaration of Condition IV over the Public Address System.
- c. At Condition III (48 hours) - Every 2 hours, announce the declaration of Condition III over the Public Address System.
- d. At Condition II (24 hours) - Every 2 hours, announce the declaration of Condition II over the Public Address System.
- e. At Condition I (12 hours) - Every 2 hours, announce the declaration of Condition I over the Public Address System.

E.3.7 Medical Staff

The Contract Medical Director shall ensure that supplies are available for post incident needs of the clean-up crews so that once medical personnel return to SSC following a tropical storm or hurricane, they are able to provide medical assistance, obtain Medical Director assistance to disposition any fatalities, and advise the Emergency Management Coordinator when offsite medical assistance is needed. They will contact the Contract Fire Department if Emergency Medical Technicians support or emergency ambulance service is needed.

E.3.8 Contract Safety Office

The Contract Safety Office is responsible for the following tasks:

- a. At Condition III (48 hours) and IV (72 hours) - Perform an independent survey of the site to identify buildings, systems, equipment, and materials which may be endangered or create a hazard in the approaching storm. Record findings and inform facility managers of matters that need attention in their area of responsibility. Place particular emphasis on situations where additional personnel or equipment may be needed to accomplish hurricane preparations. Report problem areas to the SSC/ Contract Emergency Management Coordinator.
- b. At Condition II (24 hours) - Report to the Contract EMCS, Building 8000.
- c. At Condition I (12 hours) - Ensure medical and fire services are available.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 82 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

d. Post Hurricane – Once they return onsite following a tropical storm or hurricane, they will review initial damage assessment reports from the fire department and provide any additional needs to the Emergency Management Coordinator at the EOC at extension 8-2160.

E.3.9 Contract, Logistics Services

The Contract Logistics Manager is responsible for the following tasks:

At Condition III (48 hours): hours):

1. Ensure that the Redistribution Yard at Building 2204 is closed.
2. Ensure that all emergency supplies are available for issue as requested by the users.

E.3.10 Contract Fire Chief or Fire Captain on duty

The Fire Chief or the Fire Captain is responsible for the following:

- a. Coordinate firefighting, rescue, emergency medical services, and hazardous material response activities and request assistance from offsite fire departments through the SSC/ Contract Emergency Management Coordinator, as needed.
- b. Provide Emergency Medical Technicians as needed and emergency ambulance service.
- c. The Fire Chief will initiate damage assessment and an inspection of all buildings following a tropical storm or hurricane to assess dangerous or critical situations that will require capabilities to be corrected before reopening the site. Damage Assessment forms can be located in the SSC Emergency Management Share Drive through the EOC Playbook at the following location:
\\sscsdc\Center Operations\Emergency Management Share Drive.

E.3.11 Contract Manager, Finance

The Contract Manager of Finance will, at the declaration of Condition IV, ensure that a charge number is issued for labor and materials during the hurricane emergency. Report number to the EMCS at extension 8-3381.

E.3.12 Test Complex Welding Shop Lead

The Test Complex Welding Shop Lead will, at the declaration of Condition III, align welding and cutting equipment to allow emergency departure from the shop area and verify that equipment is serviced and operational.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 83 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

E.3.13 Contract Supervisors of Facilities Systems Department

The Contract Facility System Supervisors will perform the following:

a. Condition III — Facility Maintenance Building 9114 (48 hours):

1. Ensure that all equipment is fueled, and fuel storage is adequate.
2. Ensure that all portable pumps and generators are serviced and operable.

b. Condition III - Potable Water Systems and Sewage Systems (48 hours):

1. Identify all needed equipment that is inoperable and take appropriate action to restore.
2. Check sewage lift station sump pumps, pumps and ejectors for proper operation.
3. Check sewage lagoon effluent trenches for obstructions.
4. Check and fill chlorine mixing and supply tanks. Clean suction strainers.
5. Check elevated tank altitude valves and perform operating tests on pumps, chlorinators and flow meters.

c. Condition III — Equipment Operations/Maintenance (48 hours)

1. Ensure that all permanent installed emergency generators are serviced and operable.
2. Ensure that all mobile equipment is serviced and operable.
3. Ensure that tanks for emergency generators are continuously refueled.
4. Ensure that all equipment is fueled.

E.3.14 Marine Operations Supervisor

The Marine Operations Supervisor will at Condition III (48 hours):

- a. Ensure all cryogenic barge mooring devices have operable toggle and locking pins.
- b. Ensure that all manholes, portholes, and hatch covers are in place and properly dogged down.
- c. Secure all floating vessels with adequate mooring lines.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 84 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

d. Assign berths to all transient vessels seeking refuge. Log in and provide vessel owners Exhibit E1 and formally notify owners/operators of transient vessels that they are at SSC at their own risk, and that as soon as conditions permit, they are expected to depart the site.

E.3.15 Contract High Voltage Systems Engineer/Electric Shop Supervisor

The High Voltage Systems Engineer will perform the following:

a. Condition III - Main Substation and Electrical Distribution System (48 hours):

1. Survey all overhead lines. Check for leaning trees, loose guy wires, and damaged arrestors, insulators and cross arms.
2. Verify position of all switches and cutouts for the dispatcher.

b. The Electric Shop Supervisor will perform the following:

1. Prior to June 1 of each year: Ensure that all portable generators are in place and connected as required per table 6.E. Report completion of task to EOC.

E.3.16 Technical Support Contractor Supervisor, Telecommunications

Telecommunications will maintain switchboard capability and will provide a recording for further information once the site is closed.

E.3.17 Contractor Test Operations Support

The Contractor Test Operations Support will perform the following:

a. Condition IV – HPIW Complex - Top off fuel tanks for Nordberg Diesels and report to EOC.

b. Condition III - HPIW Complex (48 hours):

1. Check operability of Nordberg and Auxiliary pumps.
2. Ensure that the Cooper Bessemer diesels are serviced and operable.

c. Condition II – HPIW Complex Services (24 hours):

1. Ensure that the blast doors on the test stands are secured.
2. Ensure that all boom cranes are lowered into their cradles and tied down.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 85 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

d. Condition II - Scale House (24 hours) - Discontinue all except emergency truck unloading. Provide follow-up to ensure doors are closed and hand brakes set on all Liquid Nitrogen (LN2), Liquid Oxygen (LO2), Liquid Hydrogen (LH2), and Helium (HE) cars.

E.3.18 Resident Agencies and Contractors

All agencies and contractors at SSC are responsible for the following:

a. Designate a representative to attend all SSC Emergency Council meetings. At the declaring of hurricane condition IV, a daily meeting starting at 12:00 noon will be instituted until the threat is no longer existent.

b. Construction and services contractors should work with their contract monitors to understand how to respond to emergency situations. All personnel are to respond appropriately to alarms, warnings, emergency announcements, and other warnings outlined in this plan. This is in addition to any other site, safety requirements placed on construction and other service contractors by contract provisions.

c. Condition IV (72 hours):

1. Advising personnel of hurricane location and movement.
2. Assuming a general state of readiness and review Hurricane Plan.
3. Surveying assigned buildings and grounds and noting actions necessary to secure that area if the hurricane becomes more of a threat.
4. Reporting all survey results to SSC EMCS/Service Desk at extension 8-3381/8-3293.
5. Reviewing work and vacation schedules and adjusting staffing levels to accommodate emergency requirements.
6. Ensuring that all assigned government vehicles are refueled at the end of each shift.

d. Condition III (48 hours):

1. Ordering sandbags if needed.
2. Surveying the interior and exterior of their building to identify materials and equipment, which must be stored or tied down.
3. Ensuring that all housekeeping discrepancies are corrected, and loose items are tied down or placed in secure storage.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
		Page 86 of 150
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

4. Notifying personnel to place all classified and sensitive material in approved containers and place containers in building vaults, if applicable.
5. Ensuring that a list is maintained of the address and telephone number where each employee will stay during the hurricane.
6. Ensuring that valuable equipment/instruments are moved away from windows wherever possible. Cover remaining items with plastic. Ensure that each computer user makes backups of any critical files. If computers are in a highly vulnerable area for damages, remove all connections and move computer to a safe place.
7. Advising all personnel of the hurricane's location and direction of movement.

e. Condition II (24 hours):

1. Directing all non-essential personnel to leave SSC.
2. Ensuring that all electrical equipment and machines have been disconnected from electrical outlets.

E.3.19 Chief of Security, Protective Services Contractor

The Protective Services Contractor is responsible for the following tasks:

a. Condition IV (72 hours):

1. Ensuring that gate guards receive clear instructions.
2. Ensuring that 2 officers are formally designated to the Emergency Team with the following responsibilities: roving patrols (weather permitting); access controls as required; radio relay of information on emergency conditions; open the site to through traffic at the instruction of the Contract Emergency Management Coordinator.
3. Initiate the traffic flow plan (appendix C) if directed by the Emergency Management Officer should the state request contraflow through SSC on Hwy 607.

b. Condition II (24 hours):

1. Establishing traffic control at the intersection of A and J Roads.
2. Bringing all Security actions, changes in requirements, and/or requests for additional security guards to the attention of the Security Supervisor.

c. After "All Clear" is declared:

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 87 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

1. Assisting Emergency Teams in recording and reporting any damage to structures, roadways, power lines, vehicles, equipment, etc.
2. Performing a security inspection of all buildings.

E.3.20 Contract Industrial Hygiene Office

Contract Industrial Hygiene is responsible for the following:

a. Pre-Hurricane Activities

1. Maintaining inventory locations of radiation sources, satellite accumulation areas, exterior chemical storage locations, and potable water monitoring locations.
2. Assisting the Contract Safety Office with conducting facility readiness before impact of storms.

b. Post-Hurricane Activities:

1. Providing assistance, field work, and trend updates to the Medical Clinic in areas of public health.
2. Ensuring that all registered radioactive sources are accounted for.

c. Surveying satellite accumulation areas and other exterior chemical storage areas for chemical spills or releases.

d. Conducting surveys of all NASA facilities for water intrusions and other potential hazards. Priority will be ranked as follows:

1. Buildings 1100, 1200, 2201 and 2101 will be assessed due to the presence of spray-applied asbestos containing insulation. NOTE: Building 1000 also contains spray-applied asbestos containing insulation; however, it is controlled by the U.S. Navy.

(a) Test area facilities and buildings which are critical for mission success.

(b) All other NASA owned facilities/tenant occupied facilities.

e. Coordinating with the Contract Environmental Systems Operators and the SSC Laboratory Services Contractor (LSC) to ensure that the potable water system is operating within acceptable limits. Measurements and other relative information will be relayed to the Medical Clinic, NASA Environmental Office and the EOC.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 88 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

f. Informing the EOC of all investigation findings.

E.4 Definitions

See Appendix A.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 89 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

APPENDIX F – FREEZE CONDITIONS PLAN

F.1 Purpose

The objectives of this plan are to provide work assignments to prepare for freezing weather hazards at SSC and safe methods to remove ice and/or control icing conditions. The plan also provides guidance for the protection and preservation of all SSC equipment and systems when freezing temperatures occur for a sustained period of time.

Control over operations during sustained freezing temperature conditions at SSC may be complex due to potentially limited visibility, possible freezing precipitation, variable wind conditions, unpredictable duration of the low temperatures, and traffic hazards posed by ice accumulation. It is imperative that the necessary preplanning be accomplished to minimize the effect of freeze conditions on equipment and personnel at SSC.

The following SSC key personnel and/or SSC contractor personnel will be involved in the coordination of this plan:

- SSC Emergency Management Officer
- Contract Emergency Management Coordinator
- SSC IC
- SSC Facility Managers
- Contract Facilities O&M Manager
- Contract Zone Supervisors
- Contract High Voltage Lead
- Contract EMCS Operator
- Contract Heavy Equipment Lead
- Contract S&MA
- Contract Finance Manager

F.2 Concept of Operations

a. Developing weather conditions, which may result in freezing rain, sleet, or other hazardous freeze conditions are normally announced by the National Weather Service (NWS). Emergency Management will monitor NWS weather briefings and notify key leadership when freeze conditions are expected. For purposes of this plan, the following definitions will be utilized:

- Freeze Condition: Temperatures forecast at or below 30°F for more than 12 hours
- Hard Freeze Condition: Temperatures forecast at or below 26°F for more than 6 hours

b. This Plan will be implemented under the direction of the NASA Emergency Management Officer, with assistance from the SSC/ Contract Emergency Management Coordinator or the Contract Facilities O&M Program Manager based upon the Stennis specific weather forecast at

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 90 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

the NWS web site, <http://forecast.weather.gov>. Test area implementation will be at the direction of the Test Director utilizing work instructions specific to each test stand. If it is not anticipated that freezing conditions will occur to the degree that full-time operation of the SSC Emergency Operations Center will be required, the SSC/Contract Emergency Management Coordinator or Contract Facilities O&M Manager will handle coordination of ice control and related activities through the SSC/ Contract EMCS upon notification to do so.

c. Any decision to release NASA personnel, delay reporting, or to close the site will be coordinated with, and approved by the Center Director's office, in coordination with Human Resources. These decisions will be communicated to all personnel. Tenant agencies and contractors will then determine status of their employees and ensure they are advised.

F.3 Responsibilities

F.3.1 SSC/ Contract Emergency Management Coordinator:

The Contract Emergency Management Coordinator will:

- a. Notify and keep informed key SSC/Contract Project and subcontractor personnel of conditions, requirements and actions to be taken.
- b. Ensure the Facilities O&M Manager notifies emergency contacts that the freeze plan is being implemented by Contractor and notify emergency contacts when coming out of freeze plan conditions.
- c. Request that SSC Facility Managers survey their areas and identify any necessary actions. Special emphasis must be placed on identifying steps, sidewalks and other walkways that may become iced, creating dangerous slipping hazards.
- d. Determine the need to spread sand on roadways/ bridges and salt or sand on walkways; notify the supervisors of the facility maintenance shops, base operations and maintenance of the actions required.

F.3.2 Contract HVAC Shop Lead will ensure that the following actions are taken:

F.3.2.1 HVAC Systems

- a. The HVAC Shop and EMCS will place heating, ventilating, and air conditioning (HVAC) equipment in a recirculation air mode with outside air dampers in a closed position to prevent water coils from freezing.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 91 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

b. The HVAC Shop will coordinate with EMCS operator as to the actions taken relative to HVAC equipment configuration for freeze protection. They will also visually observe that the outside air dampers are in a closed position.

c. The EMCS operator will monitor the various air distribution systems, air handling units and heating ventilation units for mixed air temperatures / low alarms below 40°F. Local freeze stats should be set for approximately 35°F to stop the unit for protection of the heat exchanger coil.

NOTE: In the event a unit does trip on the freeze stat safety, the EMCS Operator shall immediately position all control valves to a “halfway” position to allow water to flow through both the coils and the by-pass to prevent the water coils from freezing. If this occurs during duty hours, dispatch a technician to follow up. If after duty hours, contact the Facilities O&M Branch Manager to determine if the situation warrants an after-hours callout.

d. The EMCS operator will monitor all hot water heating systems to assure proper operation. Basic hot water heating systems are set to maintain approximately 180°F supply hot water at low fire. The high fire set point is set to come in at approximately 160°F supply hot water.

e. The EMCS operator will monitor all hot water heating systems to assure that no 80% conventional boiler type of system is operating with a return water temperature below approximately 135°F to minimize fire side condensation/corrosion of the heat exchanger. Note: Condensing type of boiler systems hot water return temperatures will vary with actual load conditions with no condensate damage issues.

f. The HVAC Shop will establish a continuous bleed on cooling tower make-up lines if temperature lows are expected to be below 25°F for approximately 24 -48 hours. Cooling towers to be monitored and checked for ice on the fill materials are listed in Table 16.F. Note: This will apply only for cooling towers that will remain in service, and only under hard freeze conditions.

g. The HVAC shop shall isolate and drain cooling tower potable water make-up lines, cooling tower cold water basin sumps, outdoor condenser water pump casings, strainers, and other piping components subject to damage from a “hard freeze” if temperature lows are expected to be below 25°F for approximately 24 - 48 hours. Additionally, it is recommended that during a “hard freeze” the Building 3305 High Pressure Gas Plant is either completely secured or all fluid cooler systems drained, or that the plant is staffed with a “Freeze Ride Out Crew” and the plant compressors are operating to protect the fluid cooler open and closed loop water systems from damage. The HVAC shop shall also drain each chemical water treatment side stream water circuit associated with the outdoor chemical injection system. Note: This will apply only to cooling towers that will not remain in service, and only under hard freeze conditions.

h. The EMCS operator will assure that no condenser water pump is on and running if the respective chiller is not running. Note: Running of the condenser water pump in this condition will cause the chiller to migrate liquid refrigerant and oil to the condenser heat exchanger.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date:	November 1, 2023
	Expiration Date:	November 1, 2028
Page 92 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

i. Additionally, the EMCS operator will monitor online chiller systems for low alarm condenser water return temperatures below approximately 65°F. The HVAC lead will request support from Mechanical/Plumbing Shop if required.

j. The HVAC Shop and the EMCS operators shall configure and operate the 1200/1201 chiller plant using the 100 ton rotary chiller 2 during mild to low outdoor ambient temperatures. This chiller shall operate and run continuously if temperature lows are expected to be below 25°F for approximately 8 - 48 hours. (Note: This 100-ton rotary chiller 2 is supported by the building generator. The 200 ton centrifugal chiller 1 is not.) Therefore, for reliable operation during freezing conditions and possible power outages this chiller 2 and Cooling Tower 2 shall be configured to run.

k. Portable chillers evaporator and/or condenser heat exchangers and cooling tower shall be drained if they are not in use. (Carrier 100 Ton, Trane 300 Ton and Trane 380 Ton).

- 300 Ton Air-Cooled Portable Chiller-2, MAXIMO EQ#110288
- 380 Ton Water-Cooled Portable Chiller-3, MAXIMO EQ#110295
- 215 Ton Air-Cooled Portable Chiller-4, MAXIMO EQ#30354-1
- 215 Ton Air-Cooled Portable Chiller-6, MAXIMO EQ#00970038

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 93 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Table 16.F - Cooling Tower Listing for Freeze Conditions

1000 Cooling Tower 1 (North 1200 Ton Plant)
 1000 Cooling Tower 2 (North 1200 Ton Plant)
 1000 Cooling Tower 3 (North 1200 Ton Plant)
 1032 Cooling Tower 1 (Both Cooling Tower Cells) 1100
 Cooling Tower 1
 1100 Cooling Tower 2
 1103 Cooling Tower 1
 1111 Cooling Tower 1
 1111 Cooling Tower 2
 1111 Cooling Tower 3
 1201 Cooling Tower 1 (200 Ton Centrifugal Chiller 1)
 1201 Cooling Tower 2 (100 Ton Rotary Chiller 2 / Do not Drain)
 2102 Cooling Tower 1
 3203 Cooling Tower 1
 3305 Fluid Cooler 1
 3305 Fluid Cooler 2
 3305 Fluid Cooler 3
 3305 Fluid Cooler 4
 3305 Fluid Cooler 5
 4110 Cooling Tower 1
 4110 Cooling Tower 2
 4210 Cooling Tower 1
 4210 Cooling Tower 2
 8100 Cooling Tower 1
 8100 Cooling Tower 2

l. The chilled water pump shall be run continuously to provide protection of air-cooled chillers. This operational configuration shall be implemented to protect equipment from damage associated with a hard freeze if temperature lows are expected to be below 25°F for approximately 24 hours. All chilled water piping is insulated and should be protected above this temperature. However, small fittings and gauges could be subject to damage during a hard freeze.

m. The EMCS operator shall monitor chilled water system water pressures and temperatures to indicate a loss of water and/or water flow due to a possible leak. Outside air cooled air chillers are in the following buildings listed in Table 17.F.

n. Cooling towers that must be operated during freezing conditions and ice accumulation will be observed.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 94 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

o. Systems will be reconfigured for utilization of outside air should an excessive ice build-up occur.

Table 17.F - Air Chiller Listing for Freeze Conditions

1009 Chiller 1
 1011 Chiller 1 (Glycol Treated Chilled Water System) 1011
 Chiller 2 (Glycol Treated Chilled Water System) 1022
 Chiller 1
 1029 Chiller 1
 1111 Computer Room Unit 3 Outdoor Section (Glycol Treated) 1111
 Computer Room Unit 4 Outdoor Section (Glycol Treated) 1103
 Chiller 2 (South Addition 60 Ton)
 2040 Chiller 1
 2101 Chiller 1
 2105 Chiller 2
 2205 Chiller 1
 2205 Chiller 2
 3101 Chiller 1
 3202 Chiller 1
 3202 Chiller 2
 3204 Chiller 1
 3205 Chiller 1
 3225 Chiller 1
 4010 Chiller 1
 4010 Chiller 2
 4080 Chiller 1
 4080 Chiller 2
 4400 Chiller 1
 8000 Chiller 1
 8000 Chiller 2
 9110 Chiller 1 (NAVY HR / 225 Ton)
 9101 Chiller 1 (Aerojet Rocketdyne/ 240 Ton)
 9101 Chiller 2 (GPO / 100 Ton)
 9101 Chiller 3 (GPO / 100 Ton)
 9101 Chiller 4 (GPO / 100 Ton)

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 95 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

F.3.2.2 Critical Storage Areas

- a. The HVAC Shop will ensure that the heating system in Building 2203, Flammable Storage building, is operating to prevent damage from freezing temperatures.
- b. The HVAC Shop will ensure that the heating system in warehouse area of Building 2204 maintains a temperature just above 32 degrees Fahrenheit during off-duty hours to prevent the sprinkler systems from freezing.

F.3.2.3 Power Distribution System

The Contract High Voltage Lead will:

- a. Conduct regular surveillance of overhead electrical power lines to detect icing or ice laden tree limbs that could lie across lines and cause a short circuit.
- b. Isolate systems and implement corrective actions for power restoration should a failure occur.

F.3.2.4 Energy Management Control Systems (EMCS)

The Contract EMCS Operator will, upon notification that the Freeze Plan is implemented, configure HVAC equipment controlled by EMCS to a heating mode. EMCS will allow for continuous run of HVAC equipment during the freeze mode.

F.3.2.5 Test Complex

The SSC Contractor Test Operations support will:

- a. Develop and implement a freeze protection procedure, to adequately protect all piping, vessels, and equipment within the test complex.
- b. Implement the freeze protection plan for the Test Complex.

F.3.3 Plumbing

The Contract Plumbing Shop Lead will take actions as outlined in Table 18.F in event of a hard freeze for potable water systems. (Typically, if weather forecast calls for temperatures of 28 °F for a period of 8 hours or more.) Conditions such as wind chill, how long temperatures will remain below freezing, etc. also play into this equation.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 96 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Table 18.F - Mechanical Plumbing Listing for Freeze Conditions

Plumbing Shop to execute the following list, except for well houses, which are to be executed by Water Operators

Date:		Prepared by:	
		Execution: Mechanical/Plumbing Freeze Plan	
IN	OUT		
<input type="checkbox"/>	<input type="checkbox"/>	Hose Bibs Building 2201	Leave outside hose bibs dripping (3).
<input type="checkbox"/>	<input type="checkbox"/>	Safety Shower Building 2205	Close cut-off valve and open drain valve.
<input type="checkbox"/>	<input type="checkbox"/>	Car Wash Building 2201	Close valve in carpenter shop. Open hose bib on outside wall (including valves on the east side of the car wash).
<input type="checkbox"/>	<input type="checkbox"/>	Steam Genie Building 2105	Turn off water and drain.
<input type="checkbox"/>	<input type="checkbox"/>	Roads & Grounds	Drip faucet by the equipment shed (1).
<input type="checkbox"/>	<input type="checkbox"/>	Butler Building 2436	Leave hose bib on well running (1).
<input type="checkbox"/>	<input type="checkbox"/>	Magnetic Building 2437	Drain eyewash
<input type="checkbox"/>	<input type="checkbox"/>	Red School House Building 2409	Leave valve on the wall dripping (1).
<input type="checkbox"/>	<input type="checkbox"/>	Rouchon House Building 2425	Leave outside faucets dripping (1).
<input type="checkbox"/>	<input type="checkbox"/>	River House Building 2420	Leave outside faucet on north side dripping (1).
<input type="checkbox"/>	<input type="checkbox"/>	Cypress House Building 2411	Close valve & drain system. Remind operator to leave it running.
<input type="checkbox"/>	<input type="checkbox"/>	Upper Gainesville Road	Turn off water and drain the two Backflows by the park (2).
<input type="checkbox"/>	<input type="checkbox"/>	North Gate Building 7001	Leave valve located southwest of Building running.
<input type="checkbox"/>	<input type="checkbox"/>	Landfill Sewage Station	Close valves and drain pumps (2). Close valves and drain lines to sprinkler system (2). Turn on heater in waste storage office.
<input type="checkbox"/>	<input type="checkbox"/>	Building 7025	Check window unit on west wall is operating in heating mode.
<input type="checkbox"/>	<input type="checkbox"/>	Building 7020	Leave outside hose bib dripping (1). Isolate & drain safety station and drinking fountain. Check the window unit & restroom heater. Open valves on stub-up building next to road on south side.
<input type="checkbox"/>	<input type="checkbox"/>	Safety Shower Building 8100	Close cut-off valve and open drain valve (north side of Building).
<input type="checkbox"/>	<input type="checkbox"/>	H202 Storage Area Building 8110	Cut-off the valve on east side of Building 8100 and drain eyewash.
<input type="checkbox"/>	<input type="checkbox"/>	Water Towers #1, 2,3, & 4	Provide slow bleed to instrumentation. Contact Environmental at 688-1547 prior to action.
<input type="checkbox"/>	<input type="checkbox"/>	Building 5005	Open faucet east of moveable Building.
<input type="checkbox"/>	<input type="checkbox"/>	Restroom D-Road Building 3416	Check the heater
<input type="checkbox"/>	<input type="checkbox"/>	Loading Dock Building 1100	Valve off system and drain (behind cafeteria).
<input type="checkbox"/>	<input type="checkbox"/>	Loading Dock Building 1003	Valve off system and drain.
<input type="checkbox"/>	<input type="checkbox"/>	Hi-Bay Building 3203	Shower on Level 2, valves off Level 1 on west side inside Building.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 97 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

<input type="checkbox"/>	<input type="checkbox"/>	Sand Blast Area Building 3203	Drain water to air compressor. Valve off and drain eyewash stations (2).
<input type="checkbox"/>	<input type="checkbox"/>	South Gate Building 3101	Leave faucet by the UV lights running.
<input type="checkbox"/>	<input type="checkbox"/>	Saturn Drive & Propellant	Open valve and leave drip on the water truck loading pipe stand.
<input type="checkbox"/>	<input type="checkbox"/>	Building 3300	Eyewash
<input type="checkbox"/>	<input type="checkbox"/>	Building 8305	Eyewash
<input type="checkbox"/>	<input type="checkbox"/>	B Test Stand	Contractor Trailers
<input type="checkbox"/>	<input type="checkbox"/>	Building 2101	Eyewash east side
<input type="checkbox"/>	<input type="checkbox"/>	Site-Wide	Open drain valves on (2) Godwin Pumps & Drain tank on (1) Sewer Jetter
<input type="checkbox"/>	<input type="checkbox"/>	Building 5005 by Canal	Open Hose bib on 2" PVC
<input type="checkbox"/>	<input type="checkbox"/>	Building 3206 Battery Storage	Open eyewash & safety and drain line
<input type="checkbox"/>	<input type="checkbox"/>	Building 3219	Open hose bib by water/oil separator
<input type="checkbox"/>	<input type="checkbox"/>	Building 3201	Drain hose reel
<input type="checkbox"/>	<input type="checkbox"/>	Building 3150 East	Let hose bib drip
<input type="checkbox"/>	<input type="checkbox"/>	Building 1200 East	Behind Pecks, let hose bib drip inside blocked Building
<input type="checkbox"/>	<input type="checkbox"/>	Building 9100 Administrative area	A/C unit set to heat
<input type="checkbox"/>	<input type="checkbox"/>	Building 9101 Loading dock	Drain fire suppression system.
<input type="checkbox"/>	<input type="checkbox"/>	Building 9110 Mechanical room	Confirm shutoff of outside faucet.
<input type="checkbox"/>	<input type="checkbox"/>	Building 9114 North hose bibs	Check bibs are dripping.
<input type="checkbox"/>	<input type="checkbox"/>	Building 9124 Eyewash	Water operators - shut and drain. Contact Environmental at 688-1647 prior to action.
<input type="checkbox"/>	<input type="checkbox"/>	Building 9128 Eyewash	Water operators - shut and drain. Contact Environmental at 688-1647 prior to action.
<input type="checkbox"/>	<input type="checkbox"/>	Building 9145 Aerojet Rocketdyne	Drain water – two fire suppression systems
<input type="checkbox"/>	<input type="checkbox"/>	Building 9157 Wet pipe system	Drain system – contact Fire Department for permission to leave drained if frequent intervals of freezing may be expected. Contact Environmental at 688-1647 prior to action.
<input type="checkbox"/>	<input type="checkbox"/>	Building 9158 NASA	Set thermostats for freeze protection.
<input type="checkbox"/>	<input type="checkbox"/>	Building 9165 Aerojet Rocketdyne	Check electric heaters on west wall.
<input type="checkbox"/>	<input type="checkbox"/>	Building 9166	Fire suppression is dry pipe pressurized air system. Secure and drain wet riser upstream of dry sections. Secure potable water & drain.
<input type="checkbox"/>	<input type="checkbox"/>	Building 9313 NCCIPS	Call Claude Garcia 813-4866. Call to assure NCCIPS.
<input type="checkbox"/>	<input type="checkbox"/>	Building 9353 NCCIPS	Call Claude Garcia 813-4866. Call to assure NCCIPS.
<input type="checkbox"/>	<input type="checkbox"/>	Building 9635 Well house outside of gate	Check heater is operating.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 98 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

A2 TEST STAND PERMANENT FREEZE PLAN

HYDROGEN DOCK – shut off underground service valve supplying dock and drain dock piping, hose reels and emergency safety stations.

OXYGEN DOCK – shut off underground service valve supplying dock and drain dock piping, hose reels and emergency safety stations.

LEVEL 1 – hose reel south side, fed from branch off main in basement, has an isolation valve.

LEVEL 4 – safety shower outside with isolation valve inside. Exterior: hose reel (iw) fed from thru wall hose bib with isolation valve and low point drain. Note: hose bib's (iw) isolation valve (1-1/2") not working.

LEVEL 5 – interior plumbing fixtures: sink, urinal, eyewash. Exterior: safety shower with isolation valve. Hose bibs above hose reel fed from level 4 with no isolation valve. Hose reel (iw) fed from level 4, isolation valve on level 5 in crib area.

LEVEL 7 – exterior hose reel (iw) with isolation valve and low point drain. Interior: branch to hydraulic system with isolation valve. Branch to boost pump with isolation valve. Branch to interior eye wash.

LEVEL 8 – interior supply valve to level 7 eyewash.

LEVEL 10 – exterior: hose reel (iw) – 1-1/2" isolation. Interior: bathroom – potable water with isolation valve.

F.3.4 Heavy Equipment

The Contract Heavy Equipment Lead will:

- a. Maintain 1 pallet of road salt (50 lb. bags) for use as directed. With prior coordination, this may be stored in the emergency supplies bunker, Building 9626 maintained by Emergency Management (688-1202).
- b. Apply sand applications to roadways/bridges as directed by the SSC/ Contract Facilities O&M Manager.

F.3.5 Contract Safety Office

The Contract Safety Office will:

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 99 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

a. Perform an independent survey of the site to identify areas that may create a hazard as a result of freeze conditions.

b. Notify respective Facility Managers of any hazards identified.

c. In instances where the required action is beyond the capabilities of personnel assigned to that particular area, the Contract Emergency Management Coordinator will be advised and asked to dispatch the appropriate assistance.

F.3.6 SSC Personnel

a. In preparation for freeze conditions, SSC personnel should:

1. Inspect vehicles/equipment to ensure that lights, brakes, windshield wipers, exhaust systems, and tires are in proper operating condition.
2. Ensure that vehicles contain a proper ratio of water/antifreeze in the coolant system.

b. During freeze conditions, SSC personnel should:

1. Observe traffic laws and roadway hazard warning signs/lights.
2. Observe extreme caution while driving vehicles.
3. Prevent fire hazards due to overheated or improperly located heater.
4. Stay indoors, if possible, dress appropriately for outdoor work assignments.

F.4 Definitions

See Appendix A.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 100 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

APPENDIX G – FLOOD PLAN

G.1 Purpose

a. The topography of SSC is generally low and flat with elevations varying from essentially sea level to 35 ft. above sea level in the northern part. The southeastern portion of SSC's Fee Area is prone to severe flooding due to its low, marsh type soil and the Pearl River, which bounds the SSC on the west. The Pearl River drains about 8,760 square miles of the State of Mississippi, and at flood stage, utilizes both the East and West branches for discharge into the Rigolets. Much of the natural and constructed drainage of the SSC Fee Area depends upon alternate discharge into the Pearl River. Therefore, the above circumstances dictate the need for continued preparedness at SSC, particularly in the spring and early summer, to protect property and personnel during high stage periods of the Pearl River.

b. This Plan serves as a guide for Contract and subcontractor personnel conducting operations necessary for protection of life, real property, and equipment during flooding conditions at SSC.

c. The following SSC key personnel and/or SSC contractor personnel will be involved in the coordination of this plan:

- SSC Emergency Management Officer
- SSC IC
- SSC Protective Services Contractor
- SSC Facility Managers
- Contract Emergency Management Coordinator
- Contract Facilities O&M Manager
- Contract Environmental Services
- Contract Project Supervisors
- Contract Grounds Subcontractor

G.2 Concept of Operations

a. The National Weather Service River Forecast Centers and River District offices issue flood forecasts and warnings upon heavy rainfall or flash flooding conditions. Such notification to SSC may be received over the Interactive National Weather Service (INWS) system or by phone to NASA/SSC Protective Services Dispatch, in Building 8000. Additionally, the US Geological Services operates a Streamside Sensing Facility, Building T2415 on the Pearl River at SSC and may provide direct indications of flooding potential to the SSC staff.

b. This Plan will be implemented under the direction of the SSC Emergency Management Officer with assistance from the Contract Emergency Management Coordinator based upon advisories and information provided by the National Weather Service. It is not anticipated that any degree of flooding will occur at SSC requiring activation of full-time operation of the EOC.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 101 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

G.3 Responsibilities

G.3.1 Contract Emergency Management Coordinator

G.3.1.1 Imminent Flooding

Upon determination that flooding of SSC areas is imminent, the Contract Emergency Management Coordinator will:

- a. Establish appropriate topographic maps of SSC, depth charts of the Pearl River and current level data in the SSC canal and lock system.
- b. Initiate and maintain a log of advisories and other weather and water stage data received and actions taken at SSC.
- c. Notify and keep informed key SSC/Contract Project and subcontractor personnel of conditions, requirements and actions taken.
- d. Request SSC Facility Managers in areas to be affected by flooding to survey their area and identify any needed actions.
- e. Place the Emergency Team Units on alert to the pending situation and direct and record their actions as appropriate. The Emergency Management Coordinator will have conducted site surveys of potentially affected areas identifying equipment and material to be moved to safe areas and monitoring the distribution of any emergency supplies and other flooding preparations.
- f. Require Logistics Services to establish a pool of the following supplies in Building 2207:
 1. Plastic Bags
 2. Tarps
 3. Sandbags
- g. Sandbags should be requested by user by calling 8-3293.
- h. Notify the Protective Services Contractor to provide barricades.

G.3.1.2 Flood Conditions

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 102 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

During flood conditions, the Contract Emergency Management Coordinator will:

- a. Notify Security to place barricades and roadblocks as necessary.
- b. Dependent upon conditions, determine the need for storing drinking water in closed containers and direct such action by the offsite water contractor.
- c. Maintain communications with the SSC Emergency Management Officer and contact through the Facilities O&M Manager with Contract units if necessary.

G.3.1.3 Post Flooding

Upon recession of floodwaters from SSC, the Contract Emergency Management Coordinator will:

- a. Request support from the Contract Environmental Services member of the Emergency Team to achieve potable water sampling as required.
- b. Have the Electro-Mechanical Unit member of the Emergency Team survey flooded areas for electrical and mechanical damage.
- c. Direct and assist the Facilities O&M Manager in conducting a survey of flooded areas to assess damage to structures, systems, and equipment. Particular attention will be given to areas where there is potential for further deterioration, any hazards to personnel, or loss of essential utilities.
- d. Provide a preliminary estimate of damage to facilities and equipment within 24 hours to the SSC Emergency Management Officer.
- e. Prepare a comprehensive written report on precautions taken, damage assessed, and corrective action taken/required, with photographs and sketches if appropriate, to the SSC Emergency Management Officer within five (5) workdays.

G.3.2 Contract Supervisors and Personnel

- a. All SSC/Contract Project supervisors will keep their personnel informed of flood conditions and any alternate routing required in the performance of their duties and will respond to requirements from and report results to the Contract Emergency Management Coordinator.
- b. The nature of conditions associated with the flooding of the SSC dictate special attention to requirements by the Contract Manager, Site Services, Contract Supervisor, Electro-Mechanical Systems, and Contract Grounds Subcontractor.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 103 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

c. Individual Contract Project employees will follow instructions from their supervisor relative to work area assignments, and transportation to, from, or around flooded areas. Employees will avoid affected areas except as specifically assigned for precautionary, monitoring or clean up and recovery activity.

G.3.3 SSC Personnel

a. During flood conditions, personnel should:

1. Not attempt to cross flowing streams or drainage ditches by foot.
2. Not drive over flooded roads except in authorized vehicles.
3. Abandon stalled vehicles in flowing or rising waters and seek higher ground.

b. After flooding in an area, personnel should:

1. Not handle or operate electrical equipment in wet areas until it has been checked and dried by authorized personnel.
2. Use flashlights rather than lanterns or torches to examine facilities since gas or flammables may be released inside.
3. Be especially watchful for snakes, alligators, or other wild game since rising waters force these creatures into areas they do not normally occupy.

G.4 Definitions

See Appendix A.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 104 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

APPENDIX H – FIRE AND EXPLOSION PLAN

H.1 Purpose

a. In cases of fire and explosion emergencies, experience shows that effectiveness is primarily contingent upon the ability to respond quickly and to confine the fire to manageable limits before it reaches the disaster state. This calls for a pre-disaster plan of action for emergency management designed to keep life and property loss held to a minimum.

b. This plan has been prepared to guide personnel in the corrective action required for the protection of life and property from fire further complicated by the threat or occurrence of an explosion. This type of disaster is normally a Class I Emergency, requiring only Emergency Team action. Should the situation require assistance from neighboring fire-fighting activities, the emergency will be classified as Class II.

c. The following SSC key personnel and/or SSC contractor personnel will be involved in the coordination of this plan:

- SSC Emergency Management Officer
- SSC IC
- Contract Fire Chief or Fire Captain on duty
- Contract Fire Department Personnel
- Contract Environmental
- SSC Facility Managers

H.2 Concept of Operations

a. Upon receipt of a report that a fire/explosion threatens or is occurring at SSC, every employee will take prompt action according to this plan. Although major firefighting actions are to be carried out only by trained fire department personnel, certain emergency actions, as outlined in the plan, may be required of all employees.

b. In the event that a Class II situation develops and firefighting requirements exceeds SSC capabilities, offsite assistance will be requested in accordance with the Mutual Aid Fire Fighting Agreements with local agencies. These agreements are maintained at the Contract Fire Department.

c. Because fire prevention measures can conceivably preclude an actual fire or explosion disaster, various fire prevention responsibilities are also addressed in this plan.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 105 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

H.3 Responsibilities

H.3.1 Contract Fire Chief/Duty Captain

The Contract Fire Chief or Fire Captain on duty will:

- a. Deploy personnel, apparatus, and equipment necessary for protection of life and property and for the extinguishment of fires and rescue of personnel at SSC. The Fire Chief/Duty Captain will also deploy offsite support when requested by the NASA/SSC Emergency Management Officer.
- b. Provide technical administration of fire protection services, ensuring that personnel, equipment, supplies, and training are available.
- c. Ensure that an adequate fire prevention and protection program is implemented which will include, but will not be limited to, equipment inspections, testing of sprinklers, standpipe systems, hydrants, and fire extinguishers.
- d. Maintain records and reports for all fire systems equipment and devices.
- e. Review and approve all Building fire evacuation plans. Maintain a copy on file.
- f. Participate in the municipal mutual aid agreement.
- g. Organize, train, and equip fire function teams.
- h. Direct the conduct of damage surveys.
- i. Assist in various disaster functions whenever possible by:
 1. Coordinating pumping of flooded areas.
 2. Coordinating administration of first aid to casualties.
 3. Coordinating hosing of areas/streets to clean away debris, spills, etc.
 4. Coordinate containment, neutralization, and cleanup of spills or leaks of any hazardous material.

H.3.2 Contract Fire Department

The Contract Fire Department will:

- a. Respond to all fire alarms and emergency calls. Operate equipment, extinguish fires, and take the necessary precautions to prevent re-ignition.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 106 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

- b. Perform regular testing and inspections and perform minor maintenance on all fire department equipment.
- c. Conduct fire inspections and patrols and submit appropriate reports to the Fire Chief or Fire Captain on duty.
- d. Participate in SSC mutual aid responsibilities.
- e. Drive or accompany the driver of an ambulance and/or administer first aid. (These services will be performed only in absence or unavailability of medical technicians, nurses, or a doctor.)
- f. Perform any other fire prevention/protection duties or other emergency services or duties necessary for the protection of life or property or essential to the efficient operation of the fire protection program.
- g. Maintain an awareness of the location of all PCB (polychlorinated biphenyl) contaminated transformers at SSC. In the event a PCB contaminated transformer becomes involved in a fire, fire department personnel shall ensure that the affected area remains evacuated until the area is verified safe by Contract Safety/Industrial Hygiene. PCB-contaminated fluid, when burning, emits highly toxic fumes and creates an extremely toxic residue.
- h. Perform annual drills per SPLN-8838-0001, SSC Fire Protection/Prevention Program Plan.

H.3.3 Security Dispatcher

The SSC Protective Services Contractor will receive emergency calls on 911 system and notify Contract Fire Department, SSC Security personnel, and Contract Medical unit.

H.3.4 SSC Employees

All SSC employees will:

- a. Promptly report all fires at SSC via 911 system including fires extinguished by individual employees.
- b. Activate manual alarms if available.
- c. Provide the following details when reporting a fire:
 - 1. Location (Building Number/Room Number)
 - 2. Hazard to Life (Yes or No)

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 107 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

3. Name of Person Reporting

4. Location and Phone Number Where Reporting From

d. Use portable firefighting equipment to extinguish fires or to hold them in check until the arrival of the fire department, providing the employee has been trained to do so and such action does not endanger the life of the individual employee.

e. Keep work areas free from potential fire hazards and promptly report all potential hazards to respective supervisors, facility manager, and/or the SSC Fire Department, extension 8-3639.

f. Upon notification of a fire, assist in the quick and orderly evacuation of the area involved.

H.3.5 Facility Managers

Facility Managers at SSC will:

a. Coordinate with the Fire Chief or Fire Captain on duty and prepare fire evacuation plans for their building(s) and post them in high visibility areas. Emergency telephone numbers will also be prominently displayed.

b. Coordinate with the Fire Chief or Fire Captain on duty and conduct annual evacuation drills to ensure all employees are familiar with existing procedures.

c. In emergencies, ensure that a representative is available to meet and direct the fire department to the fire/emergency location, and provide information of special hazards or conditions.

d. Inform the fire department in emergencies or evacuation drills of the status of the building evacuation.

e. Take prompt corrective action to eliminate all structural fire hazards reported within their areas of responsibility.

H.3.6 Guidelines for Evacuation of Individuals with Special Needs

Physically impaired occupants and individuals with special needs must be addressed when evacuating buildings. Affected individuals may include:

- Persons using wheelchairs
- Persons using crutches, canes, etc.
- Persons recovering from surgery
- Pregnant women
- Persons with significant hearing or sight impairment

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 108 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

- Cases of extreme obesity

H.3.6.1 Assistance Monitors

Persons designated to assist physically impaired individuals should be pre-determined and have knowledge of how to safely evacuate the people they are assigned to.

Persons designated to assist physically impaired individuals should maintain a listing of those physically impaired individuals needing assistance with telephone and room numbers.

H.3.6.2 Evacuation

In an emergency, physically impaired individuals should be transported to the nearest stairwell. There are two options at this point:

- Send someone to advise the floor/building coordinator/incident commander/fire department of your location and await further assistance.
- Once all the floors have been moved past your location, take the person to the assembly area.

H.3.6.3 Information for Physically Impaired Individuals

- Be familiar with your coordinator/buddy system.
- Be familiar with the nearest fire alarm location and how to activate it.
- Be familiar with all exits and alternate exits to be used during an emergency evacuation.
- **NEVER use elevators during an emergency.**
- Instruct co-workers how they can assist you.
- In an emergency, do not hesitate to inform others you need assistance, if your regular assistant is absent. Inform people unfamiliar with your needs how to assist you.

H.4 Definitions

See Appendix A.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 109 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

APPENDIX I – SERIOUS ACCIDENT PLAN

I.1 Purpose

- a. In the event of a serious accident, this plan details procedures which must be initiated to provide medical aid and evacuate injured personnel, secure the accident scene, investigate and prevent further injuries and property damage and assist in returning the accident scene to normal.
- b. The following SSC key personnel and/or SSC contractor personnel will be involved in the coordination of this plan:
- SSC Emergency Management Officer
 - SSC IC
 - Contract Manager, S&MA
 - Contract Medical Director
 - Contract Fire Chief or Fire Captain on duty
 - Contract Fire Department
 - SSC Protective Services Contractor

I.2 Concept of Operations

- a. The SSC serious accident response is initiated through the use of emergency telephone number extension 911. By calling this number, SSC Medical, fire department, and security are immediately notified that an emergency condition exists. It is vital that the caller provide essential information concerning the exact location and type of emergency. In addition, the Emergency Management Officer and SSC/Contract Safety will be notified of all emergencies.
- b. The emergency response team will take the following action as appropriate:
1. Provide medical aid.
 2. Protect property and equipment.
 3. Control access into area.
 4. Direct traffic.
 5. Investigate accident.
- c. The Contract Safety Office will keep the Emergency Management Officer, Contract Project Manager, and NASA/SSC Safety and Mission Assurance Directorate advised of the status of the emergency.
- d. In the event a site emergency is the result of a mishap, mishap safeguarding shall be coordinated with the IC. Follow-on investigation of the mishap shall be performed in accordance

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 110 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

with the SSC Mishap Preparedness and Contingency Action Plan through an Investigation Board. Independent operations of both the EOC and Investigation Board shall be maintained; however, SSC activity by either the EOC or the Mishap Investigation Board shall be properly coordinated.

I.3 Responsibilities

I.3.1 Contract Medical Director

The SSC/ Contract Medical Director is responsible for:

- a. Providing emergency medical care with the assistance of qualified medical and fire department personnel.
- b. Coordinating with fire department personnel as well as local community ambulance service and ambulance personnel to evacuate seriously injured personnel and fatalities to the appropriate medical facility.

I.3.2 Contract Fire Chief/Duty Lieutenant

The Contract Fire Chief or Fire Captain on duty will dispatch the emergency response team to ensure that emergency situations are brought under control, prevent further property damage and render assistance in providing emergency medical care to any injured personnel. The Contract Fire Chief or Fire Captain on duty will contact the Contract Manager, S&MA for notification of the accident.

I.3.3 Contract Safety and Mission Assurance

The Contract Manager, S&MA will dispatch additional personnel to coordinate control of the emergency, investigate the emergency to identify causes and necessary corrective actions to prevent recurrence, and make formal reports as required. The Contract Manager, S&MA will contact the Emergency Management Officer and Contract Emergency Management Coordinator, Contract Project Manager, and NASA/SSC S&MA to advise them of the accident and the plan of action.

I.3.4 SSC Protective Services Contractor

- a. The SSC Protective Services Contractor Dispatcher will receive the emergency call on 911 systems and notify Contract Fire Department, SSC Security personnel, appropriate community ambulance service and the Contract Medical unit.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 111 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

b. The SSC Protective Services Contractor will participate in the securing of the accident area and the resulting investigation efforts.

I.4 General

Except for rescue and emergency measures, the accident scene shall not be disturbed until the investigating official has released it. All accidents will be investigated as reported in accordance with established requirements.

I.5 Definitions

See Appendix A.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 112 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Page 112 of 150

APPENDIX J – CIVIL DISTURBANCE PLAN

J.1 Purpose

a. Riots, demonstrations, violent picketing, and disturbances to the missions of NASA and other government agencies on SSC may occur as a result of action by the civil sector. When such action threatens the safety of SSC employees, government property, or the ability to conduct operations at SSC, or when civil authorities request assistance from NASA due to disturbance in the local community, this plan will be placed into effect as guidance to actions required of SSC personnel.

b. In a civil disturbance emergency at SSC, the Contractor will provide support to SSC Protective Services Contractor to prevent injury to personnel and to protect Contract Project personnel who may be called upon to render assistance in such a situation.

c. The following SSC key personnel and/or SSC contractor personnel will be involved in the coordination of this plan:

- SSC Protective Services Contractor
- SSC Protective Services Contractor Dispatcher
- SSC Emergency Management Officer
- SSC IC
- SSC Emergency Management Coordinator
- Contract Medical Director
- Contract Facilities O&M Manager
- SSC Public Affairs Officer
- SSC Contracts Administrator

J.2 Concept of Operations

a. The SSC Protective Services Contractor conducts principal actions during a Civil Disturbance.

b. When a civil disturbance exists, or it becomes apparent one is impending; responsibility for coordinating Contract Project actions for NASA/SSC rests with the Contract Project personnel who may be called upon to render assistance in such a situation.

c. Activation of the SSC EOC in Building 8000 will depend upon the type and degree of disturbance involved. To coordinate actions, record, and serve as a status reporting point, the Contract Emergency Management Coordinator will activate Contract Support through the Contract facilities O&M Manager.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 113 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

J.3 Responsibilities

J.3.1 SSC Protective Services Contractor

The SSC Protective Services Contractor will exercise the following:

- a. Notify the SSC Emergency Management Officer when a civil disturbance is observed or reported.
- b. Provide security services at civil disturbance site to ensure the safety of SSC employees and government property.
- c. Provide increased security awareness procedures as outlined in section J.4.
- d. Provide bomb scene procedures as outlined in section J.5.
- e. Respond to bomb threat calls as outlined in section J.6.

J.3.2 Contract Personnel

- a. The Contract Emergency Management Coordinator will activate the Emergency Operations Center in Building 8000 as directed by the SSC Emergency Management Officer and shall direct any support activities of Contract Project and subcontractor personnel.
- b. The Contract Medical Director or on-site medical staff shall provide medical care as required.
- c. The Contract Site Services Manager will provide the following services upon request:
 1. Photography services.
 2. News releases as coordinated with the SSC Public Affairs Officer and the Contracts Administrator.
 3. Assist in the processing of NASA/SSC equipment or material loaned to civil authorities at the direction of the SSC Supply & Equipment Management Officer.
- d. The SSC Legal Office will provide legal advice and assistance as required.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 114 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

J.3.3 SSC Personnel

- a. SSC personnel will exercise Bomb Threat Call Procedures (section J.6) by immediately reporting actual or suspected disturbing civil activity to the Protective Services Dispatcher at extension 911.
- b. The very nature of civil disturbances that may dictate activation of this plan poses major threats to the personnel and property of SSC and may cause extreme difficulty to NASA and other law enforcement authorities called upon to maintain and restore order. Accordingly, all SSC employees are expected to remain away from the scene or area of civil disturbance and avoid secondary or actual participation except as directed in an official capacity by the Contract Emergency Management Coordinator.

J.4 Increased Security Awareness Procedures

These procedures will be implemented when circumstances dictate the need for increased security awareness at the SSC. Potential situations to which these instructions may apply include civil disturbances and bomb threats on the installation.

J.4.1 Actions Required

- a. Entry to and exit from the SSC will be controlled by:
 1. Establishing a single auto lane at both main gates.
 2. Doubling the guard assignments to each gate.
 3. Closing the North and South Gate Reception Centers.
 4. Requiring proper identification of all individuals entering and exiting.
- b. Patrol surveillance of SSC will be doubled.
- c. Guards and/or auto patrols will be established at critical points identified by the situation.
- d. Surveillance in the Test Complex will be increased as appropriate to the situation including posting of a patrolman in the High-Pressure Industrial Gas and High-Pressure Industrial Water Plants, Building 4400 and Building 4995.
- e. All through site traffic will be halted except for designated emergency vehicles.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 115 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

f. Leaflets regarding vehicle searches (NPD 1600.1) will be distributed to vehicles entering the installation.

J.4.2 Potential Special Actions Required

a. If the civil disturbance/bomb threat occurs during non-working hours at SSC, personnel may need to be called in or reassigned to staff unoccupied buildings.

b. Non-mission-related activities at SSC such as those sponsored by the SSC Recreational Association or educational courses may need to be curtailed during the period of the increased security awareness.

c. In the event of bomb threats, notification to occupants of and evacuation of personnel in buildings may be required and a search of the buildings and notification to an appropriate ordnance disposal team made (See Sections J.5 and J.6).

J.5 Bomb Scene Procedures

In the event a bomb has been placed at one of the buildings at SSC, the following actions will be taken:

J.5.1 Building Evacuation

a. In the event a bomb threat indicates that the bomb will not explode within a 30-minute period from the time the threat is received, the SSC Chief of Center Protective Services will consult with the SSC Emergency Management Officer and give notice to evacuate a building if deemed appropriate.

b. In the event a bomb threat indicates that a bomb will explode in an SSC building within a period of less than 30 minutes from the time the threat is received, the SSC Chief of Center Protective Services will direct a Security Patrolman to the building where the building evacuation alarm will be sounded, or an oral announcement made over the building PA system. Details as to the reason for the required evacuation will not be given.

c. building evacuation plans should require all occupants to move a safe distance from the building whenever an evacuation alarm is sounded, or oral announcement is made. IT MAY MEAN A BOMB THREAT AND NOT A FIRE.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 116 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

J.5.2 Bomb Search

- a. During the Fire Marshal/Warden orientation period, the building occupants who are selected to serve as members of the search team will be instructed to assemble in one location immediately after evacuation.
- b. In the event of an evacuation, the Search Team Supervisor will immediately determine that the Search Team has assembled and thereafter be watchful for, and meet with, the SSC Emergency Management Officer, Chief of Center Protective Services or other authorized personnel when they arrive on the scene.
- c. If it is decided that the building is to be searched, the Search Team Supervisor will direct the Team's effort from outside the building but will remain close to the main entrance.
 1. The sequence of search will be exterior, basement (if any), first floor, etc. The First Floor Search Unit, assisted by members from each of the other Search Units, will search the exterior of the building with the First Floor Warden in charge of the effort.
 2. As each succeeding floor is searched, the respective Floor Warden will position himself/herself at the point from which the search pattern is started so that he/she can be readily contacted should a suspicious object be located.
- d. If a suspicious object is located, the Floor Warden will send a member of the Search Unit to inform the Search Team Supervisor of the finding. The search will continue and the person who located the suspected object will remain with the Floor Warden.
- e. The Search Team Supervisor will consult with SSC Protective Services to investigate the suspect object. If required, Protective Services will additionally coordinate with the SSC/Contract Emergency Management Coordinator to call in an Explosive Ordnance Disposal Team.
- f. Special care should be taken to avoid the use of radios, walkie-talkies, etc., in the area of a suspected bomb or during search operations.
- g. Receive emergency call on 911 systems and notify Contract Fire Department, SSC protective services personnel, and Contract Medical unit.

J.6 Bomb Threat Call Procedure

Any SSC employee receiving notice that a bomb has been planted at SSC should record the time of notification and advise the Protective Services Dispatcher, extension 911 immediately. Sometimes mail or courier receives such notice; often the notice is through discovery of a "suspicious" item such as an unmarked package "left behind," taped to a chair or toilet, hidden in

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 117 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

trash, etc. Suspicion can be aroused by location, oddness of circumstances, shape, or ticking sound of the package, etc. More normally, bomb threats are received by phone and actions to be taken by the person receiving the call are as specified below.

J.6.1 Phone Threats

Upon receiving a bomb threat by phone, SSC personnel should:

- a. Attempt to keep the caller in conversation and, if possible, signal someone else to notify the SSC switchboard.
- b. Attempt to ascertain from the caller:
 1. When the bomb will go off
 2. Where the bomb is located
 3. What the bomb looks like
 4. Why the bomb was planted
- c. Speak calmly and under no circumstances break the circuit of the call.
- d. Pay close attention and try to record the caller's exact words.
- e. Attempt to determine:
 1. The sex or general age of the caller
 2. Tone and regional accent of the caller
 3. Familiar sounds or background noises
- f. When the circuit is broken, personnel receiving a bomb threat call should:
 1. Record information and impressions per the above and the time of the call.
 2. Telephone the above information directly to the Protective Services Dispatcher, extension 911.

J.6.2 Suspicious Items

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 118 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

a. When discovering a suspicious item on SSC or receiving a suspicious package, SSC personnel should not touch, move, or disturb the item, but notify Security as noted above.

b. Upon receiving any type of notice of a bomb scare at SSC, personnel should follow the guides above, not discuss matters with other personnel, and prepare themselves for debriefing by federal or SSC/ Contract authorities.

c. Special care should be taken to avoid the use of radios, walkie-talkies, cell phones, etc., in the area of a suspected bomb or during search operations.

J.7 Definitions

See Appendix A.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 119 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

APPENDIX K – CHEMICAL, BIOLOGICAL OR RADIOLOGICAL ATTACK PLAN

K.1 Purpose

- a. This plan details procedures that must be followed in the event of a chemical, biological, or radiological (CBR) release to protect and secure building air environments, to minimize and evaluate the spread of the agent used in the attack and to evaluate personnel and provide medical aid.
- b. Terrorism events have increased interest in the vulnerability of workplaces to airborne chemical, biological, or radiological threats. Of particular concern are the airflow patterns and dynamics in buildings, specifically the building heating, ventilating, and air conditioning (HVAC) systems. These systems can become an entry point and a distribution system for hazardous contaminants, particularly CBR agents.
- c. This plan will also provide guidance on preparing in advance for effective decisions in the midst of a CBR incident.
- d. The following SSC key personnel and/or SSC contractor personnel will be involved in the coordination of this plan:
 - SSC Emergency Management Officer
 - SSC Protective Services Contractor
 - SSC Facility Managers
 - Contract Emergency Management Coordinator
 - Contract EMCS
 - Contract HVAC

K.2 General

- a. Preventing terrorist access to targeted facilities requires physical security of entry, storage, roof, and mechanical areas, as well as securing access to the outdoor air intakes of the building HVAC system.
- b. The physical security needs of each building should be assessed.
- c. Facility managers should become familiar with their buildings to understand what assets require protection and what characteristics about the building or its occupants make it a potential target.
- d. Some physical security actions are applicable to many building types, i.e., preventing access to outdoor air intakes, establishing a security zone around outdoor air intakes; preventing public

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 120 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

access to mechanical areas; isolating lobbies, mailrooms, loading docks, and storage areas; securing return air grilles; and restricting access to building information.

K.3 Responsibilities

K.3.1 Contract Emergency Management Coordinator

The Contract Emergency Management Coordinator will:

- a. Advise Energy Management Control Systems (EMCS) to regulate or shut off airflow and pressure within building(s) on an emergency response basis to avoid the introduction of a CBR agent from outside or prevent the spread of a CBR agent released in the building and/or ensure the safety of egress pathways. HVAC systems should be isolated, and the areas maintained at a negative pressure relative to the rest of the building, but at positive pressure relative to the outdoors. Physical isolation of these areas is critical to maintaining the pressure differential. HVAC personnel can assist in determining if the recommended isolation is feasible for the area.
- b. Assess filtration such as investigating high filtration efficiency, upgrading filtration, etc.
- c. Ensure periodic HVAC Shop staff training in system operation and maintenance is conducted. This training should include the procedures to be followed in the event of a suspected CRB agent release, health and safety aspects for maintenance personnel, and potential health consequences to occupants of poorly performing systems.
- d. Ensure current, accurate HVAC diagrams and HVAC system labeling is addressed.
- e. Ensure preventive maintenance schedules are followed for cleaning and maintaining ventilation system components.

K.3.2 SSC Protective Services Contractor

The Protective Services Contractor will:

1. Monitor building access, paying particular attention to preventing public access to outdoor air intake areas.
2. Perform increased surveillance of lobbies, mailrooms, loading docks, and storage areas.
3. Provide security checks of individuals and packages prior to site entry and/or entry into secure areas per established layered levels of security access and in accordance with established procedures.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 121 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

4. In the event of a suspect or actual incident, make key notifications to the following:

- Contract-Fire Department
- NASA Protective Services Office
- Contract Safety
- NASA Office of Communications
- NASA Legal*
- NASA S&MA*
- NASA Emergency Management Officer
- SSC Medical*

*Only called by the direction of the IC or the Emergency Management Officer.

K.3.3 SSC Facility Managers

SSC Facility Managers will:

a. Be familiar with their buildings and understand what assets require protection and what characteristics about the building or its occupants make it a potential target. Managers should first look for items that are most vulnerable and can be addressed easily. Additional measures should be implemented as feasible. The goal is to make each building an unattractive target for a CBR attack and to maximize occupant protection should an attack occur.

b. Conduct a walk-through inspection of their respective building(s) and its systems, including the HVAC, fire protection, and life-safety systems. During this inspection, facility managers should compare the most up-to-date design drawings available to the configuration of the existing systems. If discrepancies are noted, an evaluation by a qualified HVAC professional should be conducted to establish a useful baseline. Items to be considered in this walk-through inspection are:

1. What is the mechanical condition of the equipment?
2. What filtration systems are in place? What are their efficiencies?
3. Is all equipment appropriately connected and controlled? Are equipment access or mechanical equipment room doors and panels in place, appropriate sealed and locked?
4. Are all dampers (outdoor air, return air, bypass, fire, and smoke) functioning? Check to see how well they seal when closed.
5. How does the HVAC system respond to manual fire alarm, fire detection, or fire-suppression device activation?

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 122 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

6. Are all supply and return ducts completely connected to their grilles and registers?

7. How is the HVAC system controlled? How quickly does it respond?

8. How is the building zoned? Where are the air handlers in each zone? Is the system designed for smoke control?

9. How does air flow through the building? What are the pressure relationships between zones? Which building entryways are positively or negatively pressurized? Is the building connected to other buildings by tunnels or passageways?

10. Are utility chases and penetrations, elevator shafts, and fire stairs significant airflow pathways?

11. Is there obvious air infiltration? Is it localized?

12. Does the system provide adequate ventilation given the building's current occupancy and functions?

13. Where are the outdoor air louvers? Are they easily observable? Are they or other mechanical equipment accessible to the public?

14. Do adjacent structures or landscaping allow access to the building roof?

c. Ensure mechanical electrical rooms are locked to restrict access and tampering with facility's centralized mechanical systems (HVAC, elevator, water), including filters, air handling units, and exhaust systems.

d. Identifying suitable "shelter-in-place" areas (if they exist) and personal protective equipment.

e. Establish appropriate procedures for communicating instructions to building occupants and directing emergency evacuations.

f. Ensure staff is trained, particularly for those with specific responsibilities during an event and those with special needs (e.g., medical conditions, disabilities, etc.). This training should cover both internal and external events.

g. Perform periodic practice drills, like the common fire drill, to test the effectiveness of established plans and procedures and evaluate building occupant and support personnel responses.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 123 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

K.3.4 Fire Department

The Fire Department will:

a. Treat this response as a Hazmat response and the Hazmat Team will follow guidelines established in SWI-8838-0004, Hazardous Materials Incidents Response Plan.

b. The HAZMAT Team will perform the following actions as appropriate:

1. Incident Assessment
2. Initial Notifications
3. Scene Control/Perimeter Establishment/Area Isolation
4. Product Identification/Information Gathering
5. Selection of appropriate PPE
6. Zone Establishment
7. Entry Preparation
8. Entry/Rescue/Sample Collection
9. Decontamination
10. Medical Support
11. Patient Transport
12. Incident Stabilization
13. Re-Assessment of Authority/Jurisdiction*
14. Record keeping/reporting
15. Post-Incident Analysis
16. Termination Notification

*May occur at any time during the incident response. Depending on the circumstances of the incident, it may be necessary to rapidly involve local, state, and federal agencies.

c. If a terrorism event is confirmed, the IC will establish a Unified Command (UC) with Site Security. Security will treat the area as a crime scene. Access to the incident area will be strictly limited and enforced. Personnel who are not part of the Emergency Response Team will not be allowed access in the area without the permission of both Unified Commanders.

d. If a terrorism event is confirmed, the IC will notify the Hancock County Emergency Management Agency, the Hancock County Sheriff's Office, the Federal Bureau of Investigations (FBI) (Gulfport Office), and the NASA Office of the Inspector General.

K.4 Definitions

See Appendix A.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 124 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

APPENDIX L – POTABLE WATER CONTAMINATION PLAN

L.1 Purpose

- a. This plan will provide guidance to personnel in the investigative and corrective actions required for the protection of the SSC potable water system in the event of a threat by chemical injection/contamination.
- b. This plan serves as a guide to all Contract Project personnel who may be called upon to render service in the implementation of corrective measures required to alleviate any danger to all SSC personnel.
- c. The following SSC key personnel and/or SSC contractor personnel will be involved in the coordination of this plan:
 - SSC Emergency Management Officer
 - SSC IC
 - SSC Protective Services Contractor
 - Contract Facilities O&M Manager
 - Contract Emergency Management Coordinator
 - Contract Utility Systems Supervisor
 - Contract Safety and Mission Assurance
 - Contract Environmental Services
- d. The following threats to the SSC potable water system include natural and accidental threats as well as deliberate threat.
 - Corrosion
 - Burst/damaged pipes
 - Well wall failure
 - Biofouling
 - Intentional introduction of contaminants

L.2 Concept of Operations

- a. On a day-to-day basis, the SSC Potable water system will be operated according to Standard Operating Procedures (SOPs) (SSOP-8830-0058, *SSC Potable Water System*). As breaks, damage or corrosion occur the primary response will be by the Contract Plumbing/Mechanical staff. When possible, contamination has occurred Contract Environmental will be notified immediately.
- b. Upon receipt of a report that the SSC potable water system has been threatened, the Contract Emergency Management Coordinator will ensure that the Contract Environmental office,

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 125 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Plumbing/Mechanical staff, the SSC Fire Department and SSC Security has been notified immediately.

c. The SSC Fire Department will determine the need to switch to an alternate water supply (draft from canal or call for mutual aid tenders) to maintain adequate fire protection.

d. This plan will be implemented under the direction of the SSC Emergency Management Officer with assistance from Contract Emergency Management Coordinator. If federal or local law enforcement officials/investigators are requested by the SSC Emergency Management Officer to come to SSC, SSC Security will cooperate with and assist such units to the maximum degree.

L.3 Responsibilities

L.3.1 Contract Emergency Management Coordinator

Contract Emergency Management Coordinator will:

- a. Notify and keep the key Contract Project and subcontractor personnel informed of the situation, requirements and actions to be taken.
- b. Notify the SSC Emergency Management Officer of all findings and coordinate further actions.
- c. Request the services of additional personnel if required.
- d. Submit a report to the SSC Emergency Management Officer that will include documentation of manpower utilized, cost, and corrective actions taken.
- e. Request the SSC Protective Services Contractor to provide personnel to control access into the area and or to provide patrols of the potable water distribution system.

L.3.2 Contract Environmental Manager

The Contract Environmental Manager will:

- a. Dispatch personnel to each vulnerable component of the water system for verification of foul play per the established detection indicators.
- b. Report the investigative results to the Emergency Management Coordinator.
- c. Request support required to collect water samples for analysis.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 126 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

- d. Coordinate with facilities departments to ensure that the potable water system remains in shut-down status until determined to be safe.
- e. Provide technical advice and assistance to the Contract Emergency Management Coordinator.
- f. Investigate and document the incident.
- g. Perform required incident reporting

L.4 Definitions

See Appendix A.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 127 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

APPENDIX M – POWER FAILURE PLAN

M.1 Purpose

This plan is designed to overcome major power failures that could occur following a catastrophic event involving Stennis Space Center and/or Hancock County. It is understood that while the likelihood of such an event occurring is low, the mission impact of such an event could be high without proper planning.

This Power Failure Plan provides for corrective measures to control emergency conditions and restore electrical service in the event of a major power failure.

The following SSC key personnel and/or SSC contractor personnel will be involved in the coordination of this plan:

- SSC Emergency Management Officer
- Contract Emergency Management Coordinator
- Contract Facilities O&M Manager
- Contract High Voltage System Engineer
- Contract Contractor Test Operations Support Electrical Generator Operator
- Contract Fuels Manager

M.2 Concept of Operations

a. Site-wide power failures can result from failures to offsite or onsite electrical distribution systems. The extent of corrective actions is determined by the predicted duration of the power outage, time of day, and the length of the outage. It should be noted that the generators would not be online during a power failure unless advance warning of an imminent power failure is given. SSC power status is monitored continually by EMCS operators. Operations of the SSC Emergency Power Generation facility is conducted in accordance with SSOP-8830-0040-HPIW, Operating the HPIW Control Board. The actions required for a major power outage on site is divided into two phases, initial actions and extended outage actions.

b. The sequence of activity required during a loss of commercial power is as follows:

1. Initial Actions:

(a) The EMCS operator located in Building 8000 will initiate contact with Mississippi Power Company Dispatcher in Gulfport, MS to pinpoint the cause of the power loss and to determine estimated duration of the power outage and will pass this information to the SSC High Voltage Engineer/Supervisor and EMCS Supervisor as necessary.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 128 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

(b) Permanent generators at critical facilities should automatically switch over and begin supplying power to their respective facilities.

(c) High voltage personnel will work with EMCS and Mississippi Power to resolve any problems associated with equipment

2. Extended Outage:

(a) The EMCS Operator shall notify the EMCS supervisor and Contract Emergency Management Coordinator of the extended outage

(b) The High Voltage System Engineer and Emergency Electrical Generation Plant Supervisor shall determine the need to bring the Electrical Generation Plant in Building 4400 online. Once minimum power requirements for test activities are met, the Contract Contractor Test Operations Support Electrical Generator Operator may incrementally restore service to other critical areas. Proper positioning of main station switching, as directed by the Contract High Voltage System Engineer will restore service.

(c) If the need for additional mobile generators to meet secondary electrical requirement is required, the Contract Facilities O&M Manager will direct this action.

(d) The Contract fuels manager located in Building 8000 shall monitor additional generator fuel use and order additional fuel as needed to maintain extended operations.

c. An onsite malfunction resulting in circuit power failures to a building or area requires that the supervisors of the affected areas notify EMCS at 8-3381. The Contract High Voltage System Engineer will then initiate the appropriate actions to isolate and repair the problem.

M.3 Responsibilities

M.3.1 Contract Energy Management Control Systems (EMCS) Operator

The Contract Energy Management Control Systems Operator is responsible for:

- a. Monitor power system status.
- b. Contacting Mississippi Power to pinpoint the cause of the power loss and duration.
- c. Notify Contract High Voltage Systems Engineer and the EMCS Supervisor.
- d. If the power loss is extended, coordinate information with the Contract Emergency Management Coordinator.
- e. Requesting the services of additional Emergency Team members if required.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 129 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

M.3.2 Contract Emergency Management Coordinator

The Contract Emergency Management Coordinator is responsible for:

- a. Notify NASA Emergency Management Officer if power failure is for an extended time period.
- b. Ensure all notifications requirements as listed on Table 19.M are accomplished.
- c. Assist the Emergency Management Officer in informing the SSC site of the situation.

M.3.3 Contract High Voltage Systems Engineer

The Contract High Voltage System Engineer is responsible for:

- a. Coordinating with EMCS to determine the cause of the outage.
- b. Immediately notifying the Contract Facilities O&M Manager of the power failure.
- c. Directing the effort to affect electrical distribution system repair.
- d. Determine if the outage will be for an extended period requiring continued operation on generator power and/or activation of power generation at Building 4400.

M.3.4 Contract Facilities O&M Manager

- a. Coordinate the activities of responding facilities crews.
- b. Assessing the situation in the power failure area to determine if additional support requirements are needed to control the situation.

M.3.5 Electrical Generation Supervisor

The Electrical Generation Supervisor on duty in the Electrical Generation Plant, Building 4400, at the time of the failure is responsible for:

- a. Immediately notifying the Contract Contract High Voltage System Engineer of the failure.
- b. Assisting in emergency control and system repair as directed.
- c. Operate the power generation facility using SSOP-8830-0040-HPIW.

M.4 Definitions

See Appendix A.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 130 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Table 19.M - Power Failure Plan Notification List

Emergency Generation
Plant Operator
Ext. 8-2618

SSC/Contract High Voltage
System Engineer
Ext. 8-3509

Contract Emergency Management Coordinator
Ext. 8-1202

SSC Emergency Management Officer
Ext. 8-2160

Contract Facilities O&M Manager
Ext. 8-2301

Contract S&MA Manager
Ext. 8-1305

Protective Services Dispatcher
Ext. 8-3636

Contract Fire Department Chief
Ext. 8-3639

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 131 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

APPENDIX N – ENVIRONMENTAL INTEGRATED CONTINGENCY PLAN

The Environmental Integrated Contingency Plan is provided in SCWI-8500-0020-ENV and is incorporated here by reference.

The Fire Department Operations Plan is provided in SWI-8838-0001 and is incorporated here by reference. Fire protection/prevention program plans have been prepared for each building at Stennis Space Center, a copy of which is maintained by the fire department. Procedures for accounting for employees, contractors, and visitors are covered under each individual plan.

Procedures and training for operating critical equipment in responding to the above emergency plans are maintained either in the above plans, as standard operating procedures for operating the critical equipment, or in SWI-8834-0001, Lifting Devices and Equipment Management Plan.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 132 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

APPENDIX O – COMMUNITY DISASTER / RECOVERY PLAN

O.1 Purpose

- a. The possibility of a threat or occurrence of a disastrous situation, which could threaten communities that surround SSC, requires that certain preliminary plans be established to allow for the timely response to the needs of those communities. The Contract Project will assist these communities as requested by SSC by furnishing those resources at its disposal as required by local governments.
- b. This plan identifies and establishes policies which will be adhered to by all SSC employees and subcontractors to support relief efforts for local communities and alleviate any suffering and damage resulting from natural or man-made disasters.
- c. The following SSC key personnel and/or SSC contractor personnel will be involved in the coordination of this plan:
 - SSC Emergency Management Officer
 - SSC IC
 - Contract Emergency Management Coordinator
 - Contract Emergency Team Leader
 - Contract Site Services Manager
 - Contract Human Resources Manager
 - Contract Contracts
 - Contract Utility Management Supervisor
 - Contract Medical Director

O.2 Concept of Operations

- a. In the event of a community disaster, the EOC in Building 8000 may be activated by the SSC Emergency Management Officer.
- b. The Contract Emergency Management Coordinator will initiate the Emergency Teams and set up the EOC.
- c. The Emergency Management Coordinator will obtain approval for any action requiring the use of NASA funds for the community disaster relief from the SSC Emergency Management Officer.
- d. The Emergency Management Coordinator will discharge the various Emergency Teams to accomplish the following:
 1. Clear debris and wreckage blocking public access.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 133 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

2. Assist in the distribution of foods and other consumables.
3. Provide emergency shelter at the SSC facilities.
4. Provide emergency communications from the community to outside the disaster area.
5. Utilize automotive equipment and services in support of establishing communication outside the disaster area.
6. Make emergency procurement in support of the foregoing.
7. Distribute medical services including medication and immunization. These services shall be administered under the direct supervision of the SSC Medical Director.

O.3 Responsibilities

O.3.1 Contract Emergency Management Coordinator

The Emergency Management Coordinator will be responsible to the Contract Project Manager for coordinating all activities performed by all Contract employees in support of site readiness preparations and damage control. The Contract Emergency Management Coordinator will work under the direction of the SSC Emergency Management Officer and will be responsible for:

- a. Implementing the SSC Community Disaster/Recovery Plan.
- b. Coordinating all activities of SSC/Contract employees (i.e., Emergency Teams) engaged in this plan.
- c. Providing labor pools for the disaster relief operations.
- d. Selecting a team to provide logistics support.
- e. Segregating respective costs, with supporting documentation of conducting community disaster operations directed by the NASA/SSC.
- f. Taking appropriate action to restore functional capability to support SSC operations, obtaining NASA approval where such recuperative action entails use of NASA funds.
- g. Staffing a 24-hour, 7-day per week EOC Center, Building 8000, for the SSC Emergency Management Officer for control of disaster relief operations.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 134 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

h. Broadcasting announcements on the site-wide paging system when requested by the SSC Emergency Management Officer.

i. Maintaining all radio communications networks.

O.3.2 Contract Emergency Team Leader

The Contract Emergency Team Leader will:

- a. Coordinate with the responsible contractor to restore telephone service between the SSC and the stricken areas, and reestablish, where disrupted, SSC communications in NASA networks.
- b. Fulfill vehicle requests from Emergency Teams.
- c. Maintain status of offsite vehicles through trip tickets, custody cards, or other control systems.

O.3.3 Contract Logistics Services

The Contract Manager, Logistics Services, will:

- a. Arrange for emergency supply distribution from Building 2207.
- b. Provide and implement emergency procurement procedures for emergency materials.
- c. Inform Contract Emergency Management Coordinator of all equipment and/or supplies available for utilization in relief activities.

O.3.4 Contract Human Resources

The Contract Manager, Human Resources will:

- a. Set up a recovery office and promulgate routine bulletins for advising Contract employees requiring disaster assistance.
- b. Establish contact with local offices of the Federal Disaster Assistance Administration, National Red Cross, Small Business Administration, and similar agencies.
- c. Advise Contract employees where and how individual emergency needs may best be met.

O.3.5 Contractor Contracting

The Contract Contracting Office will provide guidance to outside purchase limitations.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 135 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

O.3.6 Contract Utility Management

The Contract Supervisor, Utility Management, will dispatch personnel and equipment to assist in providing temporary utilities.

O.3.7 Contract Medical Director

The Contract Medical Director will:

- a. Coordinate medical and sanitation support with local, county, and state health authorities.
- b. Coordinate with the SSC/ Contract Emergency Management Coordinator at all times.

O.4 Definitions

See Appendix A.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 136 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

APPENDIX P - PANDEMIC RESPONSE

P.1 Purpose

This appendix is now incorporated into SPLN-1040-0005, Continuity of Operations Program Plan. It was deleted from this plan due to employee sensitive information.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 137 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Page 137 of 150

APPENDIX Q - SECURITY EMERGENCIES

Q.1 Purpose

a. Violence including armed assault, simple assault, intrusions, barricaded person(s), active shooter, hostage situations, robbery, escaped inmates, shootings, and other hazard specific (security) disturbances to the missions of NASA and other government agencies on SSC may occur. When such action threatens the safety of SSC employees, government property, or the ability to conduct operations at SSC, this plan will be placed into effect as guidance to actions required of SSC personnel. (Note: The SSC Active Shooter Plan, SPLN-1040-0008 should also be consulted for any Active Shooter situations at SSC.)

b. In a security emergency at SSC, the Contractor will provide support to the SSC Protective Services Contractor to prevent injury to personnel and to protect Contract Project personnel who may be called upon to render assistance in such a situation.

c. The following SSC key personnel and/or SSC contractor personnel will be involved in the coordination of this plan:

- SSC Protective Services Contractor
- SSC Protective Services Contract Dispatcher
- SSC Emergency Management Officer
- SSC IC (Security Officer or his/her designated representative)
- SSC Emergency Management Coordinator
- Contract Medical Director
- Contract Site Services Manager
- SSC Office of Communications
- SSC Contracting Officer
- SSC Legal Office

Q.2 Concept of Operations

a. SSC Protective Services Contractor conducts principal actions during security emergencies.

b. When a security emergency exists or it becomes apparent one is impending, responsibility for coordinating NASA/Contractor/other resident agencies for NASA/SSC rests with the Contract Project personnel who may be called upon to render assistance in such a situation.

c. Activation of the SSC EOC in Building 8000 will depend upon the type and degree of disturbance involved.

d. Situation and assumptions:

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 138 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

1. Situation - Threat analyses and security assessments, both internal and external, have identified possible risks and hazards to SSC and employees working there. Each contingency is addressed specifically in planning documents maintained by the Security Office that are entitled internal SSC Security Office Management Directives, SSC Common Work Instructions and the “NASA Contingency Plans for Stennis Space Center.”

2. Assumptions - The response of SSC security personnel to an emergency situation may involve the expansion and reorganization of routine services. If site capabilities are exceeded, support will be available from local, state, and federal law enforcement agencies. There are no Mutual Aid Agreements or documents necessary for the allocation of these resources.

e. General

1. The Chief of Center Protective Services or designated representative will be the IC for SSC responses to security contingencies, i.e., hostage situations, active shooter, barricaded person, armed assault, robbery, intrusions, and all incidents which can be defined as a security contingency. Security will be involved with “Workplace Violence” issues as long as the possibility for violence is present at the scene of the incident.

2. SSC security emergency response operations are in accordance with the National Incident Management System (NIMS), which employs two levels of incident management structures.

(a) The ICS includes a core set of concepts, principles, and terminology applicable to single or multiple incidents regardless of their scope.

(b) Multi-agency Coordination Systems integrate a combination of facilities, equipment, personnel, procedures, and communications into a common framework, which allows for the coordination and support of incident management.

f. Implementation of NIMS/ICS

1. The first official responder on the scene of an emergency situation should initiate the ICS and establish an EOC. As other responders arrive, the individual most qualified to deal with the specific situation present should serve as the IC. The IC will direct and control responding resources and designate emergency operating areas. The EOC will generally not be activated.

2. During major emergencies, disasters, or catastrophic incidents, it may be necessary to transition from the normal ICS structure to a Multi-agency Coordination System or Unified Command. The EOC is central to this system, and functions as a conduit for coordinating information and resources. The IC will manage and direct the on-scene response from the

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 139 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

EOC. The EOC will mobilize and deploy resources for use by the IC, coordinate external resource and technical support, research problems, provide information to senior managers, disseminate emergency public information, and perform other tasks to support on-scene operations.

g. Phases of Management

1. The SSC Security Office divides mitigation into two periods as follows:

(a) *Normal Preparedness Period*: All organizations that have responsibilities under this plan should prepare supporting plans that are compatible with this document. These plans include checklists for disposition of resources, and current notification and call-back lists.

(b) *Increased Readiness Period*: This period is initiated upon receipt of warning, such as advanced intelligence of a protest demonstration. In this phase, all organizations named in this document should initiate an immediate review of this plan and supporting plans, increase training of personnel, inspect and issue equipment, and consider increasing or decreasing public information efforts.

2. Preparation and response

Security Office preparations include the following:

(a) *Pre-impact Phase*: Actions taken during this phase are generally associated with minimizing damage from developing contingency situations. Countermeasures taken during this phase are designed to protect personnel and property as much as possible before the emergency reaches the next phase. Security actions during this phase include:

- Warning SSC personnel who are endangered by a developing emergency
- Advising appropriate agencies or organizations to activate resources
- Preparing the affected area for the full impact of the developing emergency
- Establishing contact with local outside agencies to facilitate response if it becomes necessary

(b) *Immediate Impact Period*: This period is associated with actions taken to protect personnel and material during the peak of an emergency. Supporting SSC organizations will act according to the provisions of appropriate sections in this plan, and/or internal management directives of the organization that apply. Typical actions taken during this period include:

- Disseminating warning, emergency public information, and other instructions to SSC personnel

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 140 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

- Inspecting and evaluating the emergency situation. This action will be assumed by the IC or designated representative. The IC will ensure all precautions are taken to protect lives, the environment, and property
- Take steps to contain or neutralize any pending threat
- Mobilizing, allocating, and staging personnel and equipment
- Conducting evacuation and assisting in rescue operations as needed
- Ensuring Medical Units are requested for care and treatment of the injured and/or casualties
- Providing vehicle and crowd control
- Restoring essential functions, facilities, systems, and services

(c) *Sustained Emergency Period:* This period begins after immediate, essential actions have been taken to protect personnel and property. During this period, the emphasis is on rehabilitating people and property affected by the emergency.

3. Recovery

During this phase, management priority is given to identifying and satisfying recovery needs. Actions taken during this phase are intended to restore mission-critical services and equipment, to reinstate conditions for the comfort and security of personnel, and to examine and critique the procedures followed during the emergency to improve future performance in similar situations.

Q.3 Responsibilities

Q.3.1 SSC Protective Services Contractor

SSC Protective Services Contractor will exercise the following:

- Notify the SSC Emergency Management Officer (or his/her representative) when a security emergency is observed or reported.
- Provide security services at security emergency site to ensure the safety of SSC employees and government property.
- Provide increased security awareness procedures as outlined in Section Q.4.

Q.3.2 Contract Personnel

- The Contract Emergency Management Coordinator will activate the Emergency Operations Center in Building 8000 as directed by the SSC Emergency Management Officer and shall coordinate any support activities of Contract Project and subcontractor personnel.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 141 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

- b. The Contract Medical Director and staff shall provide medical care as required.
- c. The Contract Site Services Manager will provide the following services upon request:
 - 1. Photography services
 - 2. News releases as coordinated with the SSC Public Affairs Officer
- d. The Legal Office will provide legal advice and assistance as required.

Q.3.3 SSC Personnel

- a. SSC personnel will immediately report actual or suspected civil disturbance activity to the Protective Services Contract Dispatcher at extension 911.
- b. The very nature of security emergencies that may dictate activation of this Plan includes a major threat to the personnel and property of SSC and may cause extreme difficulty to NASA, and resident contractors and agencies as well as other law enforcement authorities called upon to maintain and restore order. Accordingly, all SSC employees are expected to remain away from the scene or area of security emergencies and avoid secondary or actual participation except as directed in an official capacity by the Contract Emergency Management Coordinator.

Q.4 Increased Security Awareness Procedures

These procedures will be implemented when circumstances dictate the need for increased security awareness at SSC. Potential situations to which these instructions may apply include security emergencies and bomb threats on the installation.

Q.4.1 Actions Required

- a. Entry to and exit from SSC will be controlled by:
 - 1. Establishing a single auto lane at both main gates
 - 2. Doubling the guard assignments to each gate
 - 3. Closing the North and South Gate Reception Centers
 - 4. Requiring proper identification of all individuals entering and exiting the site
- b. Patrol surveillance of SSC will be doubled.
- c. Guards and/or auto patrols will be established at critical points identified by the situation.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 142 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

d. Surveillance in the Test Complex will be increased as appropriate to the situation including posting of a patrol in the High-Pressure Industrial Gas and High-Pressure Industrial Water Plants, Building 4400 and Building 4995.

e. All thru-site traffic will be halted except for designated emergency vehicles.

f. Leaflets regarding vehicle searches (NPD 1600.1) will be distributed to vehicles entering the installation.

Q.4.2 Potential Special Actions Required

a. If the security event occurs during non-working hours at SSC and exceeds onsite staffing levels, personnel will be called in or reassigned to staff unoccupied buildings.

b. Non-mission-related activities at SSC such as those sponsored by the SSC Recreation Association or college-level study courses will be curtailed during the period of the increased security awareness.

c. In the event of a security emergency, notification to and evacuation of personnel in buildings may be required and a search of the buildings will be required (See Sections Q.5 and Q.6).

Q.5 Security Emergency Procedures

In the event of a security emergency at/in one of the buildings at SSC, the following actions will be taken:

Q.5.1 Building Evacuation

a. In the event notification of a potential security incident indicates a 30-minute (or more) period prior to the security incident from the time the threat is received, the SSC Chief of Center Protective Services will consult with the SSC Emergency Management Officer and give notice to evacuate a building if deemed appropriate.

b. In the event notification of a potential security incident indicates a period of less than 30 minutes from the time the threat is received, the SSC Chief of Center Protective Services will direct a security patrol to the building where the building evacuation alarm will be sounded. Details as to the reason for the required evacuation will not be given.

c. In an actual security incident, the building evacuation alarm will be sounded. Details as to the reason for the required evacuation will not be given. Security will attempt to evacuate non-involved personnel to a safe distance (usually the fire marshaling area for the building unless otherwise instructed). Local/regional authorities will be contacted for assistance.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 143 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Q.5.2 Security Incident Search

- a. Hancock County Sheriff's Office personnel and/or appropriate federal authorities are briefed upon arrival and assisted in any way possible during the security incident.
- b. Personnel evacuated from the building will assemble in an area a safe distance away (usually the fire marshaling area unless otherwise specified). Supervisors/facility managers will then verify personnel location.
- c. In the event of an evacuation, the Search Team Supervisor will immediately determine that the search team has assembled and thereafter be watchful for, and meet with, the SSC Emergency Management Officer, Security Officer, or other authorized personnel when they arrive on the scene.
- d. If it is decided that the building is to be searched, the search team supervisor will direct the team's effort from outside the building but will remain close to the main entrance.
 1. The sequence of search will be exterior, basement (if any), first floor, etc. The search team, assisted by members from each of the other search teams, will search the exterior of the building with the Search Team Supervisor in charge of the effort.
 2. As each succeeding floor is searched, the respective designated representative knowledgeable of the area will position himself/herself at the point from which the search pattern is started so that he/she can be readily contacted should a suspicious object be located.
- e. The Search Team Supervisor will consult with SSC Security to investigate the suspected object. If required, Security will additionally coordinate with the SSC/Contract Emergency Management Coordinator to call in an Explosive Ordnance Disposal Team.
- f. Special care should be taken to avoid the use of radios, walkie-talkies, etc., during search operations and/or in the area of a suspected bomb.

Q.5.3 Lockdown Procedures

In order to limit the exposure to a threat such as a person or persons observed with a dangerous weapon or an active shooter incident in progress, it may be necessary to institute a lockdown procedure of SSC.

- a. Notification of a lockdown will be issued via one or more of the following methods:
 - SSC protective Services Bulletin,
 - Email

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
Page 144 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

- Telephone voice or text
- ENS
- Outdoor Emergency Notification System
- Site Radio
- SSC Site Status App

b. When a lockdown is issued at SSC employees are to proceed to the nearest office or secured space, lock doors and barricade if possible. Exterior perimeter doors are not to be locked during a lockdown to allow for security personnel to enter the building. Employees should move away from windows and doors and turn off the lights in the room. Employees should remain quiet and out of sight and should not respond to anyone at the door until the “all clear” is announced.

Q.6 Hazard-Specific Contingencies

The SSC Protective Services Office has identified several hazard-specific contingencies which may pose a threat to SSC personnel, facilities, or resources. The following is an outline of those identified hazards and of documentation designed to provide general guidance:

Q.6.1 Hostage Situations

A hostage situation can take place anytime, anywhere, and without warning. The SSC Protective Services Office will take all steps possible to ensure the safety of personnel in the vicinity, especially the hostage(s). SSC Protective Services will utilize whatever resources necessary to resolve the incident.

Individual employees in the vicinity of a hostage situation should do the following:

1. If possible, employees on SSC should call 911 or (228) 688-3636 immediately and provide a detailed explanation of what has occurred. The employee should ensure their safety and be prepared to assist SSC Security in their investigation of the incident.
2. If possible, evacuate the immediate area.
3. Do not attempt a rescue.
4. Remain calm.
5. Do not initiate discussions with the perpetrator if you are in the immediate area.

Q.6.2 Barricaded Person

The SSC Protective Services Contractor may be called upon to respond to a building or facility onsite where a person is barricaded in. The immediate response will be to ensure the safety of

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 145 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

personnel in the affected area. This is a potentially volatile situation that will be handled with the utmost respect and care.

SSC Protective Services will utilize whatever resources necessary to resolve the incident.

Individual employees in the vicinity of a barricaded person situation should do the following:

1. If possible, employees on SSC should call 911 or (228) 688-3636 immediately and provide a detailed explanation of what has occurred. The employee should ensure their safety and be prepared to assist SSC Protective Services in their investigation of the incident.
2. If possible, evacuate the immediate area.
3. Remain calm.
4. Do not initiate discussions with the perpetrator if you are in the immediate area.

Q.6.3 Armed Assault

An armed assault at SSC could take several forms, occur at any time, and vary in severity. In all cases, armed assaults will necessitate a coordinated response to control the situation, gather evidence and reduce the risk factor. The SSC Protective Services Office will take all steps possible to ensure the safety of personnel and property. SSC Protective Services Contractor will utilize whatever steps are necessary to resolve the incident.

Individual employees in the vicinity of an armed assault should do the following:

1. If possible, employees on SSC should call 911 or (228) 688-3636 immediately and provide a detailed explanation of what has occurred.
2. If possible, evacuate the immediate area. If this cannot be done safely, employees should ensure their safety by remaining concealed from the threat until help arrives.
3. Remain calm.
4. Be prepared to assist SSC Protective Services in their investigation of the incident.

Q.6.4 Robbery

Robbery situations at SSC will be handled immediately. The SSC Protective Services Contractor initial response will ensure the safety of personnel in the area after which they will eliminate or

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 146 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

reduce losses and turn perpetrators over to appropriate agency. SSC Protective Services will utilize whatever resources are necessary to resolve the incident.

Individual employees in the vicinity of a robbery situation should do the following:

1. Remain Calm.
2. Do not agitate the perpetrator(s).
3. Do not converse unless you are asked a question.
4. Cooperate with the perpetrator(s).
5. Do not give the perpetrator(s) reason to believe they are being threatened.
6. If possible, employees on SSC should call 911 or (228) 688-3636 immediately and provide a detailed explanation of what has occurred.
7. If possible, evacuate the immediate area.
8. Be prepared to assist SSC Protective Services in their investigation of the incident.

Stennis Plan	SPLN-1040-0006	9
	<i>Number</i>	<i>Rev.</i>
	Effective Date:	November 1, 2023
	Expiration Date:	November 1, 2028
Page 147 of 150		
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Table 20.Q - Security Emergency Resource Listing

Protective Services Office (NASA/SSC)			228-688-2004
Chief of Center Protective Services			228-688-3592
Physical Security Officer			228-688-2115
Personnel Security Officer			228-688-2115
SSC Protective Services Contractor Duty Officer/Dispatch	911	228-688-3636	
Other OnSite Security Contacts			
Naval Oceanographic Office (NAVO)			228-688-4161
National Data Bouy Center (NDBC)			228-688-7431
Naval Research Lab (NRLDET)			228-688-4876
Aerojet Rocketdyne			228-688-3572
Office of the Inspector General			228-688-2324
24-Hour Hot Line			800-424-9183
FEDERAL BUREAU OF INVESTIGATION			228-864-6131
Duty Officer (Suspected Terrorist Attacks ONLY)			601-948-5000
FIRE DEPARTMENT	Emergency	911	228-688-3636
	Non-Emergency		228-688-3639
LAW ENFORCEMENT	Emergency	911	228-688-3636
Hancock County Sheriff		911	228-467-5101
			228-255-9191 Dispatch
Pearl River County Sheriff		911	601-403-2300
Louisiana (LA) State Police		Cell *577	985-893-6250
Mississippi (MS) Highway Patrol (MHP)	Cell *MHP or 911		228-539-4881
Office of Protective Services (HQ NASA)			202-358-2010
OTHER AGENCIES			
Mississippi Poison Control Center			800-222-1222
National Response Center	Toxic Chemical & Oil Spills		800-424-8802
COAST GUARD SEARCH & RESCUE	Gulfport		228-863-5818
	New Orleans		504-589-6225
	New Orleans		504-589-6225
MEDICAL CLINIC			228-688-3810

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 148 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

HOSPITAL EMERGENCY ROOMS	
Hancock Medical Center, Bay St. Louis, MS	228-467-8600
Ochsner North Shore Hospital, Slidell, LA	985-649-7070
Memorial Hospital, Slidell, LA	985-280-2200
Memorial Hospital, Gulfport, MS	228-867-4000
Garden Park Hospital, Gulfport, MS	228-575-7000
LEGAL OFFICE	228-688-2164
PUBLIC AFFAIRS OFFICER (PAO)	228-688-3050

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 149 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

APPENDIX R – RESERVE / NEUTRAL GATE PROCEDURES

R.1 Purpose

The John C. Stennis Space Center Reserve/Neutral Gate Procedures, SPR 5200.1, is incorporated by reference into this Emergency Management Plan.

Stennis Plan	SPLN-1040-0006	9
	Number	Rev.
	Effective Date: November 1, 2023	
	Expiration Date: November 1, 2028	
	Page 150 of 150	
Responsible Office: Office of Protective Services		
SUBJECT: Emergency Management Plan		

Page 150 of 150

APPENDIX S – ACTIVE SHOOTER PLAN

S.1 Purpose

The John C. Stennis Space Center Active Shooter Plan, SPLN 1040-0008, is incorporated by reference into this Emergency Management Plan.